Annual Index

Volume 17
1982

Authors

A

ABE, M., M. Endo and H. Nagai, Lung phosphatidylcholine and fasting in male and female rats, 42
ACKMAN, R.G. See J-L. Sebedio
ADAMSON, G.L. See T.S. Kahlon
ADCOCK, E. See J. St. Pyrek
ADLER, J.H. See W.R. Nes
AKINO, T. See T. Sato
ALBERT, D.H., M.G. Traber and H.J. Kayden, Cholesterol metabolism in human monocyte-derived macrophages: Stimulation of cholesteryl ester formation and cholesterol excretion by serum lipoproteins, 709
ALEJANDRE, M.J. See H. Ramirez
ALLEVI, P. See M. Anastasia
ANASTASIA, M., P. Allevi, A. Fiecchi and A. Scala, A new route to steroid ring C aromatization from readily available precursors, 226
ANDING, R. See D.H. Hwang
ANGELOS, G. See D.M. Piatak
ASHLINE, K.A. See D.M. Piatak
ASHRAF, M. See R.L. Jackson
AUGEIRE-CHARBONNIER, M. See G. Nalbone
AWL, R.A., and E.N. Frankel, Cyclic fatty esters: Synthesis and characterization of methyl-ω-(6-alkyl-3-cyclohexenyl) alkenoates, 414
AYANOGLU, E., R.D. Walkup, D. Sica and C. Djerassi, Phospholipid studies of marine organisms: III. New phospholipid fatty acids from *Petrosia ficiformis*, 617
AZURI, R. See A. Erman

B

BAKER, N. See M. Oo[illegible]htens
BALDWIN, D. See H.W. Kircher
BANDYOPADHYAY, G.K., J. Dutta and S. Ghosh, Preferential oxidation of linolenic acid compared to linoleic acid in the liver of catfish (*Heteropneustes fossilis* and *Clarias batrachus*), 733
J. Dutta and S. Ghosh, Synthesis of diene prostaglandins in freshwater fish, 755
BARNHART, R.L. See R.L. Jackson
BARROW, S.E., and T.C. McNorris, Studies on the biosynthesis of the oogoniols, 383
BARTHOLMEY, S.J. See A.R. Sherman
BARTIZAL, K.F., Jr., M.H. Beaver and B.S. Wostmann, Cholesterol metabolism in gnotobiotic gerbils, 791
BARTMAN, C. See A. Sanghvi
BASCOUL, J. See V. Korahani
BAUER, J.E. See E.G. Perkins
BAUMANN, W.J. See W.J. Hansen
BAYLEY, D.L. See J.L. Rabinowitz
BEAVER, M.H. See K.F. Bartizal, Jr.
BELL, F.P., and E.V. Hubert, Effect of chlorpromazine on rat arterial lipid synthesis, in vitro, 672
and E.V. Hubert, Stimulation of hepatic squalene and triglyceride synthesis by dimethylsulfoxide, in vitro, 900
BENEVENGA, N.J. See A.A. Qureshi
BENZIONI, A. See A. Yaron
BHASKAR, A. See J.N. Kolhe
BIANCHINI, J-P. See A. Ralaimanarivo
BILLHEIMER, J.T. See J.M. Trzaskos
See W.R. Nes
BIRD, R.P., and H.H. Draper, Uptake and oxidation of malonaldehyde by cultured mammalian cells, 519
BLOMSTRAND, R. See L. Svensson
BÖGER, P. See G. Sandmann
BOGGS, J.M. See K.M. Koshy
BORGEAT, P., S. Picard, J. Drapeau and P. Vallerand, Metabolism of arachidonic acid in leukocytes: Isolation of a 5,15-dihydroxy-eicosatetraenoic acid, 676
BORRIELLO, S.P., and R.W. Owen, The metabolism of lithocholic acid and lithocholic acid-3-α-sulfate by human fecal bacteria, 477
BOTTEMA, C.K. See L.W. Parks
BOWEN, W.D. See J.M. Trzaskos
BRAND, J.G. See J.L. Rabinowitz
BREEN, M.A. See L.J. Goad
BRENDEL, K. See T.L. Smith
BRINGI, N.V. See J.N. Kolhe
BROCKERHOFF, Anesthetics may restructure the hydrogen belts of membranes, 1001
BRUN, M.J. See R.J. Morin
BRUNETTI, M. See A. Gaiti
BURGER, W.C., A.A. Qureshi, N. Prentice and C.E. Elson, Effects of different fractions of the barley

Annual Index

Volume 17
1982

Authors

A

ABE, M., M. Endo and H. Nagai, Lung phosphatidylcholine and fasting in male and female rats, 42
ACKMAN, R.G. See J-L. Sebedio
ADAMSON, G.L. See T.S. Kahlon
ADCOCK, E. See J. St. Pyrek
ADLER, J.H. See W.R. Nes
AKINO, T. See T. Sato
ALBERT, D.H., M.G. Traber and H.J. Kayden, Cholesterol metabolism in human monocyte-derived macrophages: Stimulation of cholesteryl ester formation and cholesterol excretion by serum lipoproteins, 709
ALEJANDRE, M.J. See H. Ramirez
ALLEVI, P. See M. Anastasia
ANASTASIA, M., P. Allevi, A. Fiecchi and A. Scala, A new route to steroid ring C aromatization from readily available precursors, 226
ANDING, R. See D.H. Hwang
ANGELOS, G. See D.M. Piatak
ASHLINE, K.A. See D.M. Piatak
ASHRAF, M. See R.L. Jackson
AUGEIRE-CHARBONNIER, M. See G. Nalbone
AWL, R.A., and E.N. Frankel, Cyclic fatty esters: Synthesis and characterization of methyl-ω-(6-alkyl-3-cyclohexenyl) alkenoates, 414
AYANOGLU, E., R.D. Walkup, D. Sica and C. Djerassi, Phospholipid studies of marine organisms: III. New phospholipid fatty acids from *Petrosia ficiformis*, 617
AZURI, R. See A. Erman

B

BAKER, N. See M. Oo[illegible]htens
BALDWIN, D. See H.W. Kircher
BANDYOPADHYAY, G.K., J. Dutta and S. Ghosh, Preferential oxidation of linolenic acid compared to linoleic acid in the liver of catfish (*Heteropneustes fossilis* and *Clarias batrachus*), 733
J. Dutta and S. Ghosh, Synthesis of diene prostaglandins in freshwater fish, 755
BARNHART, R.L. See R.L. Jackson
BARROW, S.E., and T.C. McNorris, Studies on the biosynthesis of the oogoniols, 383
BARTHOLMEY, S.J. See A.R. Sherman
BARTIZAL, K.F., Jr., M.H. Beaver and B.S. Wostmann, Cholesterol metabolism in gnotobiotic gerbils, 791
BARTMAN, C. See A. Sanghvi
BASCOUL, J. See V. Korahani
BAUER, J.E. See E.G. Perkins
BAUMANN, W.J. See W.J. Hansen
BAYLEY, D.L. See J.L. Rabinowitz
BEAVER, M.H. See K.F. Bartizal, Jr.
BELL, F.P., and E.V. Hubert, Effect of chlorpromazine on rat arterial lipid synthesis, in vitro, 672
and E.V. Hubert, Stimulation of hepatic squalene and triglyceride synthesis by dimethylsulfoxide, in vitro, 900
BENEVENGA, N.J. See A.A. Qureshi
BENZIONI, A. See A. Yaron
BHASKAR, A. See J.N. Kolhe
BIANCHINI, J-P. See A. Ralaimanarivo
BILLHEIMER, J.T. See J.M. Trzaskos
See W.R. Nes
BIRD, R.P., and H.H. Draper, Uptake and oxidation of malonaldehyde by cultured mammalian cells, 519
BLOMSTRAND, R. See L. Svensson
BÖGER, P. See G. Sandmann
BOGGS, J.M. See K.M. Koshy
BORGEAT, P., S. Picard, J. Drapeau and P. Vallerand, Metabolism of arachidonic acid in leukocytes: Isolation of a 5,15-dihydroxy-eicosatetraenoic acid, 676
BORRIELLO, S.P., and R.W. Owen, The metabolism of lithocholic acid and lithocholic acid-3-α-sulfate by human fecal bacteria, 477
BOTTEMA, C.K. See L.W. Parks
BOWEN, W.D. See J.M. Trzaskos
BRAND, J.G. See J.L. Rabinowitz
BREEN, M.A. See L.J. Goad
BRENDEL, K. See T.L. Smith
BRINGI, N.V. See J.N. Kolhe
BROCKERHOFF, Anesthetics may restructure the hydrogen belts of membranes, 1001
BRUN, M.J. See R.J. Morin
BRUNETTI, M. See A. Gaiti
BURGER, W.C., A.A. Qureshi, N. Prentice and C.E. Elson, Effects of different fractions of the barley

kernel on the hepatic lipid metabolism of chickens, 956
See A.A. Qureshi
BUTTKE, T.M., R. Reynolds and A.L. Pyle, Phospholipid synthesis in *S. cerevisiae* strain GL7 grown without unsaturated fatty acid supplements, 361

C

CALABRO, M.A., M.R. Prasad, S.J. Wakil and V.C. Joshi, Stearoyl-coenzyme A desaturase activity in the mammary gland and liver of lactating rats, 397
CALDWELL, R.S. See D.S. Lin
CANOVA-DAVIS, E. See L. Waskell
CARDIN, A.D. See R.L. Jackson
CAREY, E.M., The quantitative determination of plasmalogen by its reaction with mercuric chloride, 656
CARROLL, K.K. See N. Chaudhary
CARTWRIGHT, A.L. See E.J. Eisen
CASPI, E. See D.M. Piatak
CASTRO-MAGANA, M. See S. Clejan
CENEDELLA, R.J., Digitonide precipitable sterols: A reevaluation with special attention to lanosterol, 443
See C.P. Sarkar
CHABERT, C. See G. Nalbone
CHAN, P.C., O.G. Peller and L. Kesner, Copper(II)-catalyzed peroxidation in liposomes and erythrocyte membranes, 331
CHANDLER, R.F., S.N. Hooper, D.L. Hooper, W.D. Jamieson, and E. Lewis, Herbal remedies of the maritime Indians: Sterols and triterpenes of *Tanacetum vulgare* L. (Tansy), 102
See S.N. Hooper
CHANDRASEKHARA, N. See V.S. Kamanna
CHANMUGAN, P. See D.H. Hwang
CHAUDHARY, N., D.J. Freeman, J.W. Rip and K.K. Carroll, Direct estimation of dolichyl phosphate in rat liver by high pressure liquid chromatography, 558
CHILD, P., and A. Kuksis, Differential uptake of cholesterol and plant sterols by rat erythrocytes in vitro, 748
CHOPRA, A. See C. Kasinathan
CHRISTOPHE, A., G. Verdonk, M. Mashaly and P. Sandra, Fatty acid chain length combinations in ascitic fluid triglycerides containing lymphatic absorbed medium-chain fatty acids, 759
CIAVATTI, M., E. Davenas, G. Michel and S. Renaud, Oral contraceptive and platelet lipid biosynthesis in female rats: Dose-response relationship, 111
CLARK, R.M. See R.G. Jensen
CLARKSON, T.B. See L.N. Shandilya
CLEJAN, S., M. Castro-Magana, P.J. Collipp, E. Jonas and V.T. Maddaiah, Effects of zinc deficiency and castration on fatty acid composition and desaturation in rats, 129
COHEN, N. See C.G. Scott
COLLINS, N. See D.T. Gordon
COLLIPP, P.J. See S. Clejan
COLÓN, J.I. See E.A. Santiago-Delpih
COMPTON, S.K., M. Hamosh and P. Hamosh, Hydrolysis of triglycerides in the isolated perfused rat lung, 696
CONNER, R.L. See W.R. Nes
CONNOR, W.E. See D.S. Lin
CORCORAN, P.J. See W.C. Duane
CORNER, A.H. See J.K.G. Kramer
CORNWELL, D.G. See N. Morisaki
CORY, H.T. See D.S. Lin
CRAIN, R.C., Nonspecific lipid transfer proteins as probes of membrane structure and function, 935
CRASTES DE PAULET, A. See V. Korahani

D

DANG, Q.Q., P. Rogalle, R. Salvayre and L. Douste-Blazy, Synthesis and identification of bis(diacylglycero) phosphoric acid and bis(monoacylglycero) phosphoric acid, 798
DAOUD, G.S. See C.T. L. Huang
DAVENAS, E. See M. Ciavatti
DAVES, G.D., Jr. See D.S. Lin
DEJONG, F.A. See R.G. Jensen
DEMOPOULOS, H.B. See K. Koréh
DE SCHRIJVER, R., and O.S. Privett, Interrelationship between dietary *trans* fatty acids and the 6- and 9-desaturases in the rat, 27
DE WITT, P. See F. Maccari
DICKENS, M. See T.D. Dreesen
DIVEN, W.F. See A. Sanghvi
DJERASSI, C. See E. Ayanoglu
DOUSTE-BLAZY, L. See Q.Q. Dang
DRAPEAU, J. See P. Borgeat
DRAPER, H.H. See R.P. Bird
See G.M. Siu
DREESEN, T.D., M. Dickens and R.B. Koch, Partial purification and characterization of a Ca^{2+}-stimulated lipoxygenase from soybean seeds, 964
DUANE, W.C., D.E. Holloway, S.W. Hutton, P.J. Corcoran and N.A. Haas, Comparison of bile acid synthesis determined by isotope dilution versus acidic sterol output in human subjects, 345
DUNCAN, J.N. See L.J. Goad
DURHAM, L.A., III, and W.M. Grogan, Temperature sensitivity of cholesteryl ester hydrolases in the rat testis, 970
DURRANI, A.A., Goh Cheng Sun and J.H.P. Tyman, Long chain phenols: XX. Synthesis of oxidative degradation products from the methylated component phenols of *Anacardium occidentale* and other phenolic lipids: Confirmation of the structure of the parent phenols and a related material, 561
DUTTA, J. See G.K. Bandyopadhyay
See A. Ghosh

E

EDWARDS, R.A. See G.L. Pool
EISEN, E.J., A.L. Cartwright, K.M. Weller and K.J. Smith, Rates of depletion of linoleic acid from fat depots of selected lines of mice differing in growth rate and adiposity, 136
ELSAYED, N. See A. Sevanian
ELSON, C.E., See W.C. Burger
See A.A. Qureshi
EMKEN, E.A. See J.B. Ohlrogge
ENDO, M. See M. Abe

ERDAHL, W.L. See F.C. Phillips
ERICKSON, K.A. See W.R. Nes
ERMAN, A., R. Azuri and A. Raz, Different pools of esterified arachidonic acid in rabbit kidney medulla: Relationship to Ca^{2+}-stimulated prostaglandin biosynthesis, 119

F

FAREED, S. See M.I. Shoukry
FARNWORTH, E.R. See J.K.G. Kramer
FARQUHARSON, T.E. See J-L. Sebedio
FELLOWS, F.C.I., and R.M. Mclean, A study of the plasma lipoproteins and the tissue lipids of the migrating lamprey, *Mordacia mordax*, 741
FERNANDEZ, N., A. Valenzuela, V. Fernandez and L.A. Videla, Effect of diethyl maleate and glutathione on linoleate peroxidation, 393
FERNANDEZ, V. See N. Fernandez
FERRETTI, A., V.P. Flanagan and J.M. Roman, Quantitative measurement of prostaglandins E_2 and E_3 by selected ion monitoring, 825
FIECCHI, A. See M. Anastasia
FISCHER, G.M., and M.L. Swain, Hypercholesterolemia in rats: Combined effect of high cholesterol diet and female sex steroids, 172
FISKIN, A.M. See P.T. Shafer
FISHER, G.J. See J.M. Trzaskos
FLANAGAN, V.P. See A. Ferretti
FOGLEMAN, J.C. See H.W. Kircher
FRANKEL, E.N., W.E. Neff, E. Selke and D. Weisleder, Photosensitized oxidation of methyl linoleate: Secondary and volatile thermal decomposition products, 11
See R.A. Awl
See W.E. Neff
FREEMAN, D.J. See N. Chaudhary
FRENCH, M.E. See G.L. Pool
FREW, N.M. See S.G. Wakeham
FUJINO, Y. See M. Ohnishi
FUKUZAWA, K., A. Tokumura, S. Ouchi and H. Tsukatani, Antioxidant activities of tocopherols on Fe^{2+}-ascorbate-induced lipid peroxidation in lecithin liposomes, 511
FURUTA, S. See T. Sakurai

G

GARCIA-PEREGRIN, E. See H. Ramirez
GAYDOU, E.M. See A. Ralaimanarivo
GAITI, A., M. Brunetti, G.L. Piccinin, H. Woelk and G. Porcellati, The synthesis in vivo of choline and ethanolamine phosphoglycerides in different brain areas during aging, 291
GAYLOR, J.M. See J.M. Trzaskos
GERHART, M.J. See T.L. Smith
GHIRARDI, O. See F. Maccari
GHOSH, A., M. Koley and J. Dutta, Preparation of *cis, cis,cis*-5,8,11-Eicosatrienoic acid from arachidonic acid, 314
GHOSH, S. See G.K. Bandyopadhyay
GOAD, L.J., M.A. Breen, N.B. Rendell, M.E. Rose, J.N. Duncan and A.P. Wade, Synthesis of deuterium labeled cholesterol and steroids and their use for metabolic studies, 982
and N. Withers, Identification of 27-nor-(24*R*)-24-methylcholesta-5,22-dien-3β-ol and brassicasterol as the major sterols of the marine dinoflagellate *Gymnodinium simplex*, 853
GOH CHEN SUN. See A.A. Durrani
COHEEN, S.C., E.C. Larkin and G.A. Rao, Morphology and fatty acid composition of reticulocytes from phenylhydrazine-treated rats, 594
GONZALES, R. See L.W. Parks
GORDON, D.T., and N. Collins, Anatomical distribution of sterols in oysters (*Crassostrea gigas*), 811
GRASSI, E. See A. Sanghvi
GRAY, N.C.C., and K.P. Strickland, On the specificity of a phospholipase A_2 purified from the 106,000 X g pellet of bovine brain, 91
GROGAN, W.M., and J.M. Lam, Fatty acid synthesis in isolated spermatocytes and spermatids of mouse testis, 605
See L.A. Durham, III
GUEY-SHUANG WU, R.A. Stein and J.F. Mead, Autoxidation of phosphatidylcholine liposomes, 403
GULLEY, R.M. See J.B. Ohlrogge
GUMULKA, J., J. St. Pyrek and L.L. Smith, Interception of discrete oxygen species in aqueous media by cholesterol: Formation of cholesterol epoxides and secosterols, 197

H

HAAS, N.A. See W.C. Duane
HACKER, A.D. See A. Sevanian
HALLMAN, M. See A. Keranen
HAMOSH, M. See S.K. Compton
See R.G. Jensen
HAMOSH, P. See S.K. Compton
HANSEN, H.S., Essential fatty acid supplemented diet decreases renal excretion of immunoreactive arginine-vasopressin in essential fatty acid-deficient rats, 321
HANSEN, W.J., R. Murari, Y. Wedmid and W.J. Baumann, An improved procedure for the synthesis of choline phospholipids via 2-bromoethyl dichlorophosphate, 453
HARA, A., and T. Taketomi, Isolation and determination of cholesterol glucuronide in human liver, 515
HASHIMOTO, S., K. Uchida and M. Hirata, Hepatic bile acid elution by albumin and bile acid content in isolated rat hepatocytes, 149
HASHIMOTO, T. See T. Sakurai
HAUTON, J. See G. Nalbone
HEFTMANN, E. See W.D. Nes
HENDREN, D.J. See E.G. Perkins
HERBERT, E.W., Jr. See J.A. Svoboda
HERSCHBERGER, L.A., and A.L. Tappel, Effect of vitamin E on pentane exhaled by rats treated with methyl ethyl peroxide, 686
HIRATA, M. See S. Hashimoto
HOLDEN, M.J., and G.W. Patterson, Taxonomic implication of sterol composition in the genus *Chlorella*, 215
HOLLOWAY, D.E. See W.C. Duane
HØLMER, G., C.-E. Høy and D. Kirstein, Influence of partially hydrogenated vegetable and marine oils on lipid metabolism in rat liver and heart, 585

HOLMLUND, C.E. See G. Thomaidis
HOOPER, D.L. See R.L. Chandler
HOOPER, S.N., R.F. Chandler, E. Lewis and W.D. Jamieson, Simultaneous determination of *Sonchus arvensis* L. triterpenes by gas chromatography-mass spectrometry, 60
See R.F. Chandler
HOSHITA, N., and Y. Kodama, Hepta- and nonadecene from marine fish, 390
HOSPATTANKAR, A.V., R.R. Vunnam and N.S. Radin, Changes in liver lipids after administration of 2-decanoylamino-3-morpholinopropiophenone and chlorpromazine, 538
HØSTMARK, A.T., Ø. Spydevold and E. Lystad, Plasma high density lipoprotein subgroup distribution in rats fed diets with varying amounts of sucrose and sunflower oil, 489
HOTTA, S.S., The effects of phosphate on the biosynthesis of cholesterol in rat liver homogenates, 682
HOY, C.-E. See G. Holmer
HUANG, C.T.L., M.M. Levine, G.S. Daoud, D.R. Nalin and B.L. Nichols, Fecal steroids in diarrhea: IV. Cholera, 612
HUANG, L. See G.L. Pool
HUBERT, E.V. See F.P. Bell
HUTTON, S.W. See W.C. Duane
HWANG, D.H., Characteristics of the formation of the platelet lipoxygenase product from endogenous arachidonic acid, 845
P. Chanmugam and R. Anding, Effects of dietary 9-*trans*,12-*trans* linoleate on arachidonic acid metabolism in rat platelets, 307

I

IGUCHI, A. See T. Nomura
ILIAS, A.M. See D.S. Lin
IMAI, Y. See H. Kawaguchi
ISHIBASHI, T. See H. Kawaguchi
ITABASHI, Y. See T. Takagi

J

JACKSON, R.L., A.D. Cardin, R.L. Barnhart, M. Aahraf and J.D. Johnson, Interaction of discoidal complexes of dimyristoyl phosphatidylcholine-cholesterol-apolipoprotein A-1 with human plasma high density lipoprotein HDL_3, 338
JAMIESON, W.D. See R.F. Chandler
See S.N. Hooper
JENSEN, B.W. See L.W. Parks
JENSEN, R.G., F.A. de Jong, R.M. Clark, L.G. Palmgren, T.H. Liao and M. Hamosh, Stereospecificity of premature human infant lingual lipase, 570
See D. Sampson
JOHNSON, J.D. See R.L. Jackson
JOHNSTON, P.V. See L.A. Marshall
JONAS, E. See S. Clejan
JOSEPH, J.M. See W.R. Nes
JOSHI, V.C. See M.A. Calabro

K

KAHLON, T.S., G.L. Adamson, M.M.S. Shen and F.T. Lindgren, Sedimentation equilibrium of human low density lipoprotein subfractions, 323
KAMANNA, V.S., and N. Chandrasekhara, Effect of garlic (*Allium sativum* Linn) on serum lipoprotein cholesterol levels in albino rats rendered hypercholesterolemic by feeding cholesterol, 483
KAMIYA, Y. See Y. Yamamoto
KANKARE, P. See A. Keranen
KASAI, N., L.O. Sillerud and R.K. Yu, A convenient method for the presentation of Asialo-G_{M1}, 107
KASINATHAN, C., A. Chopra and G.K. Khuller, Phosphatidate phosphatase of dermatophytes, 859
KAWAGUCHI, H., T. Ishibashi and Y. Imai, Increased thromboxane B_2 biosynthesis in platelets, 577
KAYDEN, H.J. See D.H. Albert
KERÄNEN, A., P. Kankare and M. Hallman, Changes of fatty acid composition of phospholipids in liver mitochondria and microsomes of the rat during growth, 155
KESNER, L. See P.C. Chan
KHULLER, G.K. See C. Kasinathan
KING, V.L. See R.E. Morton
KINSELLA, J.E. See C.H. Tsai
KIRCHER, H.W., R.L. Phariss, F.U. Rosenstein, D. Baldwin and J.C. Fogelman, Response of *Drosophila* to *cis*- and *trans*-22-dehydrocholesterol: I. A survey, 209
KIRSTEIN, D. See G. Holmer
KLINGENSMITH, J.S., Distribution of methylene and nonmethylene-interrupted dienoic fatty acids in polar lipids and triacylglycerols of selected tissues of the hardshell clam (*Mercenaria mercenaria*), 976
KNIGHTS, B.A., The quantitative analysis of plant sterols, 204
KOBLIN, D. See L. Waskell
KOCH, R.B. See T.D. Dreesen
KODAMA, Y. See N. Hoshita
KOLEY, M. See A. Ghosh
KOLHE, J.N., A. Bhaskar and N.V. Bringi, Occurrence of 3-oxo triterpenes in the unsaponifiable matter of some vegetable fats, 166
KORAHANI, V., J. Bascoul and A. Crastes de Paulet, Autoxidation of cholesterol fatty acid esters in solid state and aqueous dispersion, 703
KORÉH, K., M.L. Seligman and H.B. Demopoulos, The effect of dihydroergotoxine on lipid peroxidation in vitro, 724
KOSHY, K.M., and J.M. Boggs, A high-yield saponification of galactosylceramide I^3-sulfate, 998
KRAMER, K.G., E.R. Farnworth, B.K. Thompson, A.H. Corner and H.L. Trenholm, Reduction of myocardial necrosis in male albino rats by manipulation of dietary fatty acid levels, 372
KUKSIS, A. See P. Child
See C.-S. Wang

L

LAAKSO, S., Immobilized lipoxygenase in continuous production of fatty acid hydroperoxides, 667
LAFONT, H. See G. Nalbone
LAIRON, D. See G. Nalbone
LAM, J.W. See W.M. Grogan
LANDREY, J.R. See W.R. Nes
LANSER, A.C., Selective deposition of *trans*-8- and

cis-9-octadecenoates in egg and tissue lipids of the laying hen, 524
LANZA-JACOBY, S., E.E. Miller and F.E. Rosato, Changes in the activities of lipoprotein lipase and the lipogenic enzymes in tumor-bearing rats, 944
LARKIN, E.C. See S.C. Goheen
LESTER, R. See J. St. Pyrek
LEVINE, M.M. See C.T.L. Huang
LEWIS, E. See R.F. Chandler
See S.N. Hooper
LIAO, T.H. See R.G. Jensen
LIN, D.S., A.M. Illias, W.E. Connor, R.S. Caldwell, H.T. Cory and G.D. Daves, Jr., Composition and biosynthesis of sterols in selected marine phytoplankton, 818
LINDGREN, F.T. See T.S. Kahlon
LOWRY, R.R. See I.J. Tinsley
LUMB, R.H. See G.L. Pool
LYSTAD, E. See A.T. Høstmark

M

MACARRI, F., O. Ghirardi, P. De Witt and M.T. Ramacci, In vivo and in vitro antilipolytic effects of some variously substituted homocysteine-thiolactone-nicotinamides: Structure-activity study, 78
MADDAIAH, V.T. See S. Clejan
MADRIGAL, R.V., and C.R. Smith, Jr., Estolide triglycerides of *Trewia nudiflora* seed oil, 650
MANGANARO, F. See C.-S. Wang
MARCACCIO-JOSEPH, R. See W.R. Nes
MARSHALL, L.A., and P.V. Johnston, Modulation of tissue prostaglandin synthesizing capacity by increased ratios of dietary alpha-linolenic acid to linoleic acid, 905
MARSHALY, M. See A. Christophe
MATOCHA, M. See R. Wood
MATSUNAGA, H. See T. Nomura
MATSUSHITA, S. See I. Toyoda
MAY, J.M., Rat adipocyte utilization of different substrates: Effects of cell size and the control of lipogenesis, 626
McDONALD, G.B. See D.R. Saunders
McLEAN, R.M. See F.C.I. Fellows
McLEAN-BOWEN, C.A., and L.W. Parks, Effect of altered sterol composition on the osmotic behavior of sphaeroplasts and mitochondria of *Saccharomyces cerevisiae*, 662
See L.W. Parks
McMORRIS, T.C. See S.E. Barrow
MEAD, J.F. See Guey-Shuang Wu
MICHEL, G. See M. Ciavatti
MILLER, E.E. See S. Lanza-Jacoby
MILO, G.E., See N. Morisaki
MIURA, Y., Effect of inhibitors on ω- and (ω-1)-hydroxylation of lauric acid by frog liver microsomes, 864
MIYAZAWA, S. See T. Sakurai
MORIN, R.J., M.J. Brun and M.V. Srikantaiah, Effect of age and cholestyramine feeding on rat liver 3-hydroxy-3-methyl glutaryl CoA reductase, sterol carrier protein 1 and sterol carrier protein 2 activities, 507
MORISAKI, N., H. Sprecher, G.E. Milo and D.G. Cornwell, Fatty acid specificity in the inhibition of cell proliferation and its relationship to lipid peroxidation and prostaglandin biosynthesis, 893
MORRIS, H.P. See R.E. Morton
MORTON, R.E., M. Waite, V.L. King and H.P. Morris, Uptake and metabolism of free fatty acids by the Morris 7777 hepatoma and host rat liver, 529
MUELLER, H.W., J.T. O'Flaherty and R.L. Wykle, Ether lipid content and fatty acid distribution in rabbit polymorphonuclear neutrophil phospholipids, 72
MURARI, R. See W.J. Hansen
MURPHY, M.G., and M.W. Spence, Saturated fatty acids > C_{20} are not activated by acid:CoA ligase in rat brain or liver? 504

N

NAGAI, H. See M. Abe
NALBONE, G., J.-L. Vigne, H. Lafont, M. Augeire-Charbonnier, C. Chabert, D. Lairon and J. Hauton, A simple method for labeling lipids in the bile lipoprotein complex, 500
NALIN, D.R. See C.T.L. Huang
NEFF, W.E. See E.N. Frankel
E.N. Frankel and D. Weisleder, Photosensitized oxidation of methyl linoleate. Secondary products, 780
NES, W.D., G.A. Saunders and E. Heftmann, Role of steroids and triterpenoids in the growth and reproduction of *Phytophthora cactorum*, 178
NES, W.R., J.H. Adler, J.T. Billheimer, K.A. Erickson, J.M. Joseph, J.R. Landrey, R. Marcaccio-Joseph, K.S. Ritter and R.L. Conner, A comparison of the biological properties of androst-5-en-3β-ol, a series of (20R)-*n*-alkylpregn-5-en-3β-ols and 21-isopentylcholesterol with those of cholesterol, 257
NICHOLAS, H.J. See R.B. Ramsey
NICHOLS, B.L. See C.T.L. Huang
NICOTRA, F., F. Ronchetti and G. Russo, The metabolism of phytosterols in the insect *Tenebrio molitor*: Utilization of 24-methylenecholesterol and 24,28-epoxymethylenecholesterol, 184
NIKI, E. See Y. Yamamoto
NOMURA, T., A. Iguchi, H. Matsunaga and N. Sakamoto, The effects of fasting and streptozotocin diabetes on the triglyceride lipase activity of rat liver plasma membranes, 573
NYBORG, G. See J. Svensson

O

O'FLAHERTY, J.T. See H.W. Mueller
OHLROGGE, J.B., R.M. Gulley and E.A. Emken, Occurrence of octadecenoic fatty acid isomers from hydrogenated fats in human tissue lipid classes, 551
OHNISHI, M., and Y. Fujino, Sphingolipids in immature and mature soybeans, 803
O'KELLY, J.C., and H.P. Reich, The effect of environmental temperature on sebum composition in tropical and temperate breeds of cattle, 19
OOKHTENS, M., and N. Baker, Essential and nonessential fatty acid oxidation in mice bearing Ehrlich ascites carcinoma, 65
OUCHI, S. See K. Fukuzawa

OWEN, R.W. See S.P. Borriello

P

PALMGREN, L.G. See R.G. Jensen
PARKS, L.W., C. McLean-Bowen, C.K. Bottema, F.R. Taylor, R. Gonzales, B.W. Jensen and J.R. Ramp, Aspects of sterol metabolism in the yeast *Saccharomyces cerevisiae* and in *Phytophthora*, 187
See C.A. McLean-Bowen
PARODI, P.W., Positional distribution of fatty acids in triglycerides from milk of several species of mammals, 437
PATTERSON, G.W. See M.J. Holden
PELICK, N. See E.G. Perkins
PELLER, O.G. See P.C. Chan
PERKINS, E.G., D.J. Hendren, N. Pelick and J. Bauer, High performance reversed-phase chromatography of the triglycerides from human plasma lipoproteins, 460
See A.R. Sherman
PHARISS, R.L. See H.W. Kircher
PHILLIPS, F.C., W.L. Erdahl and O.S. Privett, Quantitative analysis of lipid classes by liquid chromatography via a flame ionization detector, 992
PIATAK, D.M., K.A. Ashline, G. Angelos, R.P. Swenson and E. Caspi, A ^{1}H-NMR anomaly for steroidal alcohols? Reactions of a steroidal γ-ketoacid, 235
PICARD, S. See P. Borgeat
PICCININ, G.L. See A. Gaiti
PITAS, R.E. See D. Sampson
POOL, G.L., M.E. French, R.A. Edwards, L. Huang and R.H. Lumb, Use of radiolabeled hexadecyl cholesteryl ether, 448
PORCELLATI, G. See A. Gaiti
PRASAD, M.R. See M.A. Calabro
PRENTICE, N. See W.C. Burger
PRIVETT, O.S. See R. De Schrijver
See F.C. Phillips
See H. Shimasaki
PYLE, A.L. See T.M. Buttke

Q

QURESHI, A.A., W.C. Burger, C.E. Elson and N.J. Benevenga, Effects of cereals and culture filtrate of *Trichoderma viride* on lipid metabolism of swine, 924
See W.C. Burger

R

RABINOWITZ, J.L., J.G. Brand, and D.L. Bayley, Lipid profiles of taste and non-taste epithelial tissues from steer tongues, 950
RADIN, N.S. See A.V. Hospattankar
RALAIMANARIVO, A., E.M. Gaydou and J-P. Bianchini, Fatty acid composition of seed oils from six *Adansonia* species with particular reference to cyclopropane and cyclopropene acids, 1
RAMACCI, M.T. See F. Maccari
RAMIREZ, H., M.J. Alejandre and E. Garcia-Peregrin, Development of the diurnal rhythm of chick 3-hydroxy-3-methylglutaryl-CoA reductase, 434
RAMP, J.R. See L.W. Parks
RAMSEY, R.B., and H.J. Nicholas, Unusual urinary cholesterol metabolites following intracerebral injection of [4-^{14}C]cholesterol into rats: 1. The minor ^{14}C-metabolite, 263
RAO, G.A. See S.C. Goheen
RAZ, A. See A. Erman
REICH, H.P. See J.C. O'Kelly
RENAUD, S. See M. Ciavatti
RENDELL, N.B. See L.J. Goad
REYNOLDS, R. See T.M. Buttke
RIGGIO, P.P. See C.G. Scott
RIP, J.W. See N. Chaudhary
RITTER, K.S. See W.R. Nes
ROGALLE, P. See Q.Q. Dang
ROMAN, J.M. See A. Ferretti
ROMÁN-FRANCO, A.A. See E.A. Santiago-Delphih
RONCHETTI, F. See F. Nicotra
ROSATO, F.E. See S. Lanza-Jacoby
ROSE, M.E. See L.J. Goad
ROSENSTEIN, F.U. See H.W. Kircher
RUSSO, G. See F. Nicotra

S

ST. PYREK, J., R. Sterzycki, R. Lester and E. Adcock, Constituents of human meconium: II. Identification of steroidal acids wth 21 and 22 carbon atoms, 241
See J. Gumulka
SAKAMOTO, N. See T. Nomura
SAKURAI, T., S. Miyazawa, S. Furuta and T. Hashimoto, Riboflavin deficiency and β-oxidation systems in rat liver, 598
SALVAYRE, R. See Q.Q. Dang
SAMUELSSON, B.E., Regional distribution of glycosylceramide-sulfates in human kidney, 160
SAMOILOFF, V. See A. Yaron
SAMPSON, D., R.E. Pitas and R.G. Jensen, Erratum, 118
SANDMANN, G., and P. Böger, Volatile hydrocarbons from photosynthetic membranes containing different fatty acids, 35
SANDRA, P. See A. Christophe
SANGHVI, A., E. Grassi, C. Bartman and W.F. Diven, Effect of detergents on in vitro 7α-hydroxycholesterol formation by rat liver microsomes, 644
SANTIAGO-DELPÍN, E.A., A.A. Román-Franco and J.I. Colón, Inhibition of lymphocyte capping by fatty acids in mouse and man, 727
SARKAR, C.P., and R.H. Cenedella, Reactivity of key metabolic sterols in standard colorimetric assays for cholesterol, 46
SATO, T., and T. Akino, Source of lung surfactant phospholipids: Comparison of palmitate and acetate as precursors, 884
SAUNDERS, D.R., J. Sillery, and G.B. McDonald, Effect of ethanol on transport from rat intestine during high and low rates of oleate absorption, 356
SAUNDERS, G.A. See W.D. Nes
SCALA, A. See M. Anastasia
SCOTT, C.G., N. Cohen, P.P. Riggio and C. Weber, Gas chromatographic assay of the diastereomeric composition of *all-rac*-α-tocopheryl acetate, 97
SEBEDIO, J-L., T.E. Farquharson and R.G. Ackman, Improved methods for the isolation and study of

the C_{18}, C_{20} and C_{22} monoethylenic fatty acid isomers of biological samples: Hg adducts, HPLC, $AgNO_3$-TLC/FID, and ozonolysis, 469
T.E. Farquharson and R.G. Ackman, Erratum, 666
SELIGMAN, M.L. See K. Koreh
SELKE, E. See E.N. Frankel
SEVANIAN, A., A.D. Hacker and N. Elsayed, Influence of vitamin E and nitrogen dioxide on lipid peroxidation in rat lung and liver microsomes, 269
SHAFER, P.T., and A.M. Fiskin, Prostaglandin and acyl chain effects of glutamate dehydrogenase activity, 297
SHANDILYA, L.N., and T.B. Clarkson, Hypolipidemic effects of gossypol in cynomolgus monkeys (*Macaca fascicularis*), 285
SHEN, M.M.S. See T.S. Kahlon
SHERMAN, A.R., S.J. Bartholmey and E.G. Perkins, Fatty acid patterns in iron-deficient maternal and neonatal rats, 639
SHIMASAKI, H., N. Ueta and O.S. Privett, Covalent binding of peroxidized linoleic acid to protein and amino acids as models for lipofuscin formation, 878
SHORTINO, T.J. See J.A. Svoboda
SHOUKRY, M.I., and S. Fareed, Plasma lipid and lipoprotein concentrations in an Egyptian male sample, 692
SICA, D. See E. Ayanoglu
SILLERUD, L.O. See N. Kasai
SILLERY, J. See D.R. Saunders
SISFONTES, L. See L. Svensson
SIU, G.M., and H.H. Draper, Metabolism of malonaldehyde in vivo and in vitro, 349
SKOMURSKI, J.P., and J.C. Vary, Fatty acid and phospholipid composition of *Bacillus megaterium* spores with altered germination properties, 914
SMITH, C.R., Jr. See R.V. Madrigal
SMITH, K.J. See E.J. Eisen
SMITH, L.L. See J. Gumulka
SMITH, N.B., Determination of cholesteryl esters and of cholesteryl and epicholesteryl silyl ethers by capillary gas chromatography, 464
SMITH, T.L., A.E. Vickers, K. Brendel and M.J. Gerhart, Effects of ethanol diets on cholesterol content and phospholipid acyl composition of rat hepatocytes, 124
SPENCE, M.W. See M.G. Murphy
SPRECHER, H. See N. Morisaki
SPYDEVOLD, Ø. See A.T. Høstmark
SRIKANTAIAH, M.V. See R.J. Morin
STEIN, R.A. See Guey-Shuang Wu
STERZYCKI, R. See J. St. Pyrek
STRICKLAND, K.P. See N.C.C. Gray
SUN, G.C. See Goh Cheng Sun
SVENSSON, L., L. Sisfontes, G. Nyborg and R. Blomstrand, High performance liquid chromatography and glass capillary gas chromatography of geometrical and positional isomers of long chain monounsaturated fatty acids, 50
SVOBODA, J.A., M.J. Thompson, E.W. Herbert, Jr., T.J. Shortino, and P.A. Szczepanik-VanLeeuwen, Utilization and metabolism of dietary sterols in the honey bee and the yellow fever mosquito, 220
SWAIN, M.L. See G.M. Fisher
SWENSON, R.P. See D.M. Piatak
SZCZEPANIK-VANLEEUWEN, P.A. See J.A. Svoboda

T

TAKAGI, T., and Y. Itabashi, *cis*-5-Olefinic unusual fatty acids in seed lipids of Gymnospermae and their distribution in triacylglycerols, 716
TAKETOMI, T. See A. Hara
TAPPEL, A.L. See L.A. Herschberger
TAYLOR, F.R. See L.W. Parks
TERAO, J. See I. Toyoda
THOMAIDIS, G., and C.E. Holmlund, Effects of phosphatidylcholines on de novo synthesis and excretion of sterol by L-929 fibroblasts, 427
THOMPSON, B.K. See J.K.G. Kramer
THOMPSON, M.J. See J.A. Svoboda
TINSLEY, I.J., G. Wilson and R.R. Lowry, Tissue fatty acid changes and tumor incidence in C3H mice ingesting cottonseed oil, 115
TOKUMURA, A. See K. Fukuzawa
TOYODA, I., J. Terao and S. Matsushita, Hydroperoxides formed by ferrous-ion-catalyzed oxidation of methyl linolenate, 84
TRABER, M.G. See D.H. Albert
TRENHOLM, H.L. See J.K.G. Kramer
TRZASKOS, J.M., W.D. Bowen, G.J. Fisher, J.T. Billheimer and J.L. Gaylor, Microsomal enzymes of cholesterol biosynthesis from lanosterol: A progress report, 250
TSAI, C.H., and J.E. Kinsella, Tissue culture of cocoa beans (*Theobroma cacao* L.): Incorporation of acetate and laurate into lipids of cultured cells, 367
and J.E. Kinsella, Tissue culture of cocoa bean (*Theobroma cacao* L.): Incorporation of fatty acids into lipids of cultured cells, 848
TSUKATANI, H. See K. Fukuzawa
TULLOCH, A.P., ^{13}C Nuclear magnetic resonance spectroscopic analysis of seed oils containing unsaturated acids, 544
TYMAN, J.H.P. See A.A. Durrani

U

UCHIDA, K. See S. Hashimoto
UETA, U. See H. Shimasaki

V

VALENZUELA, A. See N. Fernandez
VALLERAND, P. See P. Borgeat
VARY, J.C. See J.F. Skomurski
VERDONK, G. See A. Christophe
VICKERS, A.E. See T.L. Smith
VIDELA, L.A. See N. Fernandez
VIGNE, J.-L. See G. Nalbone
VUNNAM, R.R. See A.V. Hospattankar

W

WADE, A.P. See L.J. Goad
WAITE, M. See R.E. Morton
WAKEEL, M. See C.F. Warburg
WAKEHAM, S.G., and N.M. Frew, Glass capillary gas chromatography-mass spectrometry of wax esters, steryl esters and triacylglycerols, 831

WAKIL, S.J. See M.A. Calabro
WALKER, B.L. See A.K. Young
WALKUP, R.D. See E. Ayanoglu
WANG, C.-S., A. Kuksis and F. Manganaro, Studies on the substrate specificity of purified human milk lipoprotein lipase, 278
WARBURG, C.F., M. Wakeel and D.C. Wilton, The role of squalene synthetase in the inhibition of tetrahymanol biosynthesis by cholesterol in *Tetrahymena pyriformis*, 230
WASKELL, L., D. Koblin and E. Canova-Davis, The lipid composition of human liver microsomes, 314
WEBER, G. See C.G. Scott
WEDMID, Y. See W.J. Hansen
WEISLEDER, D. See E.N. Frankel
See W.E. Neff
WELLER, K.M. See E.J. Eisen
WILSON, G. See I.J. Tinsley
WILTON, D.C. See C.F. Warburg
WITHERS, N. See L.J. Goad
WOELK, H. See A. Gaiti
WOOD, R., Effect of eicosatetraynoic acid on liver and plasma lipids, 763
A. Zoeller and M. Matocha, Effect of hepatoma on host liver, heart and lung lipids as tumor growth progresses, 771
WOSTMANN, B.S. See K.F. Bartizal, Jr.
WYKLE, R.L. See H.W. Mueller

Y

YAMAMOTO, Y., E. Niki and Y. Kamiya, Oxidation of lipids: III. Oxidation of methyl linoleate in solution, 870
YARON, A., V. Samoiloff and A. Benzioni, Absorption and distribution of orally administered jojoba wax in mice, 169
YOUNG, A.K., and B.L. Walker, Cholesteryl ester hydrolase activity in adrenal homogenates from normal and essential fatty acid-deficient female rats, 634
YU, R.K. See N. Kasai

Z

ZOELLER, A. See R. Wood

Subjects

A

ACETATE, cholesterogenesis, rat liver homogenates, phosphorus effect, 682
incorporation into fatty acids, mouse testis, spermatids, spermatocytes, 605
incorporation into lipids in cocoa bean cell cultures, 367
incorporation, rat arterial lipids, chlorpromazine, 672
incorporation, rat lung lipids, surfactant, 884
lipogenesis rat adipocytes, 626
metabolism by rat skin fibroblasts, 519
metabolism in rat, 349
squalene, triglyceride synthesis, rat liver, DMSO, 900
ACETYL CoA CARBOXYLASE, chicken liver, barley kernel fractions, 956
swine tissues, cereals, *Trichoderma viride*, 924
Achlya heterosexualis. See water mold
ACYL-CoA:CHOLESTEROL ACYLTRANSFERASE, inhibition by androst-5-en-3β-ol, 257
ACYL-CoA DEHYDROGENASE, rat liver mitochondria, peroxisomes riboflavin deficiency, 598
ACYL-CoA OXIDASE, rat liver mitochondria, peroxisomes riboflavin deficiency, 598
ADIPOSE, rat, cell size, lipogenesis, glucose, pyruvate, acetate, 626
ADIPOSE TISSUE, mouse, linoleic acid depletion, effect of strain, 136
rat, FFA release, effect of antilipolytic drugs, 78
rat, mammary tumor, lipogenic enzymes, lipoprotein lipase, 944
swine, lipogenic and cholesterogenic enzymes, 924
ADP-Fe^{3+}, thromboxane and prostaglandin synthesis, rabbit platelets, 577
ADRENALS, EFA-deficiency, cholesteryl ester hydrolysis, 634
ADRENATE, cholesteryl, hydrolysis, adrenals, EFA deficiency, 634
Aedes aegypti, dietary sterols, utilization, metabolism, 220
AGING, effect on brain phospholipid synthesis, 291
ALANINE, effect on Cu^{2+}-catalyzed peroxidation, 331
ALBUMIN, bovine serum, peroxidized linoleate covalent bonding, 878
bovine serum, sterol uptake, rat erythrocyte, in vitro, 748
ALCOHOL, fatty, acetates, analysis, GLC, 72
steroidal, NMR anamoly, 235
ALGAE, blue-green, culture, isolation photosynthetic membranes, 35
blue-green, fatty acid profile, 35
blue-green, production, volatile hydrocarbons, photo-

synthetic membranes, 35
green, strains, sterol composition, taxonomic implications, 215
ALKALOIDS, Fe-catalyzed liposome peroxidation, 724
steroidal, effect on growth, reproduction of *Phytophthora cactorum*, 178
ALKENES, in gizzard shad and sardine, 390
ALKENOATES, synthesis and characterization, 414
ALKENYL ACYL LIPIDS, myelin, rat erythrocyte, assay, mercuric chloride, 656
ALKENYLACYLPHOSPHOCHOLINE, content, polymorphonuclear neutrophils, 72
ALKENYLACYLPHOSPHOETHANOLAMINE, content, polymorphonuclear neutrophils, 72
ALKENYLACYLPHOSPHOLIPID, isolation, derivatization, quantitation, 72
ALKYLACYLPHOSPHOCHOLINE, content, polymorphonuclear neutrophils, 72
ALKYLACYLPHOSPHOETHANOLAMINE, content, polymorphonuclear neutrophils, 72
ALKYLACYLPHOSPHOLIPID, isolation, derivatization, quantitation, 72
ALKYLPREGNENOLS, metabolism, insect, yeast, protozoans, mammals, 257
Allium sativum. See garlic
ALVEOLA WASH, rat lung, glycerophosphatides, fatty acid profiles, 884
AMINO ACIDS, peroxidized linoleate covalent bonding, 878
α-(β-)-AMYRENONE, presence in vegetable fats, 166
α-(β-)-AMYRIN, content, sow thistle, GLC-MS analysis, 60
identification, GLC, NMR, MS, in *Tanacetum vulgare*, 102
ANACARDIC ACID, identification, 561
Anacardium occidentale. See cashew nut
ANDROST-5-EN-3β-OL, metabolism, insect, yeast, protozoans, mammals, 257
ANESTHETICS, hydrogen bonding, membrane fluidity, 1001
ANTILIPOLYTIC, homocysteine-thiolactone-nicotinamide, in vivo and in vitro, 78
ANTIOXIDANTS, diethyl maleate and reduced glutathione, 393
dihydroergotoxine, senile cerebrovascular insufficiency, 724
tocopherols, 511
Apis mellifera, dietary sterols, utilization, metabolism, 220
APOLIPOPROTEIN, A-I, and interconversion of HDL subfractions, 338
discoidal complexes, and interconversion of lipoprotein subfractions, 338
ARACHIDONATE, cholesteryl, hydrolysis, adrenals, EFA-deficiency, 634
ARACHIDONIC ACID, biosynthesis, rat heart, liver, hydrogenated fats, 585
cyclooxygenase, lipoxygenase, rat platelets, 845
hydroperoxide, synthesis, agarose-bound lipoxygenase, 667
metabolism, 5,5-dihydroxy-eicosatetraenoic acid, leucocytes, 676
metabolism, rat platelets, effect dietary *trans,trans* linoleate, 307
plasma, utilization by platelet lipoxygenase, 845
pools, kidney medulla, prostaglandin biosynthesis, 119
preparation of *cis,cis,cis*-5,8,11-eicosatrienoic acid from, 314
prostaglandin, thromboxane synthesis, rabbit platelet, 577
uptake and metabolism in rat liver and Morris 7777 hepatoma cells, 529
ARGININE, peroxidized linoleate covalent bonding, 878
AROMATIZATION, steroid ring C, 226
ARTERY, rat, chlorpromazine on lipogenesis, 672
ASAFOETIDA, effect on serum cholesterol in rats, 483
ASCITIC FLUID, triglycerides, fatty acid profiles, lymphatic MCT, 759
ASCORBATE, Fe^{2+}, and peroxidation in lecithin liposomes, 511
ASIALO-G_{M1}, high performance, TLC, 107
large-scale preparation from brain, 107
AUTOXIDATION, cholesterol, solid, aqueous dispersion, 703
phosphatidylcholine liposomes, 403
Δ^5-AVENASTEROL, content chloroplasts, *Phaseolus vulgaris*, 204
25-AZACHOLESTEROL, metabolic fate, yellow fever mosquito, 220

B

Bacillus megaterium spores, fatty acid profile, temperature, isoleucine, 914
Bacillus sp. See bacteria
BACTERIA, facultative, metabolism of lithocholic acid and its 3α-sulfate, 477
BEE, honey, dietary sterols, utilization, metabolism, 220
BEHENIC ACID, not activated by acyl-CoA, 504
BENZOIC ACID, thromboxane and prostaglandin synthesis, rabbit platelets, 577
BILAYER, lipid, membrane, hydrogen belts, anesthetics, 1001
phospholipid, marker for and assay, 448
BILE, human gallbladder, ultracentrifugation, 500
lipoprotein, labeling, 500
BILE ACIDS, chromatography, 477
content in rat hepatocytes, effect of method of isolation, 149
fecal, gnotobiotic gerbil, dietary fat, 791
human meconium, composition, 241
isolation, analysis, GLC, TLC, 149
metabolism in fecal bacteria, 477
profile, feces, diarrhea, cholera, 612
spectra, GLC-MS, 477
synthesis in humans, determination, 345
BIOSYNTHESIS, cholesterol, synthesis from lanosterol, microsomal enzymes, 250
BIS-NOR-CHOLANOIC ACIDS, in human meconium, 241
BOVINE BRAIN, isolation phospholipase A_2, specificity, 91
large-scale preparation of brain asialo-G_{M1}, 107
BOVINE LIVER, glutamate dehydrogenase, prostaglandin, acyl chains, effect on activity, 297

BRAIN, bovine, isolation phospholipase A_2, specificity, 91
bovine, large-scale preparation of brain asialso-G_{M1}, 107
neonatal chick, HMG-CoA reductase rhythm, 434
rat, formation of digitonide precipitates, 443
rat, metabolism of long-chain saturated fatty acids, 504
rat, prostaglandin synthesis, dietary fat, 905
rat, sterol, determination, GLC, colorimetric comparison, 46
rat, synthesis, choline, ethanolamine phosphoglycerides, effect of aging, 291
BRASSICASTEROL, content, *Chlorella* strains, 215
deuterated, synthesis, NMR, GC-MS, metabolism, 982
distribution, oysters, 811
effect on *Drosophila* maturation, 209
marine dinoflagellate, TLC, GC, MS, NMR, 853
BUTTER, triglycerides, capillary GC-MS, 831
BUTYROSPERMENONE, presence in vegetable fats, 166
Butyrospermum parkii, unsaponifiable matter, occurrence of 3-oxo triterpenes, 166

C

Calendula officinalis. See seed oils
CALORIMETRY, differential scanning, dipalmitoylphosphatidylcholine, 187
differential scanning, yeast mitochondria membrane, 187
CAMPESTANOL, effect on oospore production, *Phytophthora cactorum*, 178
CAMPESTEROL, biosynthesis, yellow fever mosquito, 220
content root, *Faba vulgaris*, 204
effect on oospore production, *Phytophthora cactorum*, 178
identification by GLC, in *Tanacetum vulgare*, 102
CARCINOMA, Ehrlich ascites, mice, effect on fatty acid oxidation, 65
CARDANOL, identification, 561
CARDIOLIPIN, fatty acid profile, rat liver mitochondria, 155
CARDOL, identification, 561
CASHEW NUT, shell liquid, identification of long-chain phenols, 561
CASTRATION, rat, effect on fatty acid composition, desaturation, 129
CAT, stereospecific analysis of milk triglycerides, 437
CATALASE, thromboxane and prostaglandin synthesis, rabbit platelets, 577
Catalpa bignonioides. See seed oils
CATECHOLAMINES, urinary, mammary tumor-bearing rats, 944
CATFISH LIVER, fatty acid elongation, desaturation, 733
β-oxidation, unsaturated fatty acids, 733
CATTLE SEBUM, composition, effect of breed, temperature, 19
CECUM, gnotobiotic gerbil, weight, 791
Cedrus deodra. See conifer
CELL CULTURE, cocoa beans, 367
L-929 fibroblasts, 427
CELL PROLIFERATION, inhibition, fatty acids, peroxides, prostaglandins, 893
Centranthus ruber. See seed oils
CERAMIDE, mouse liver, drug manipulation, 538
soybeans, fatty acid profile, 803
CERAMIDE SULPHATE, galactosyl, saponification, 998
CERAMIDE: UDP-GLUCOSE GLUCOSYLTRANSFERASE, inactivation in vitro, 538
CEREALS, dietary, lipogenic, cholesterogenic enzymes, swine tissues, 924
CEREBELLUM, rat synthesis, choline, ethanolamine phosphoglycerides, effect of aging, 291
CEREBROSIDES, mouse liver, drug manipulation, 538
soybeans, fatty acid profile, 803
CEREBROSIDE SULPHATE, saponification, product, 998
CEREBROVASCULAR INSUFFICIENCY, senile, dihydroergotoxine, antioxidant, 724
Chaetoceros. See marine phytoplankton
Chamaecyparis pisifera. See conifer
CHEMICAL IONIZATION, methane, MS, wax esters, steryl esters, triglycerides, 831
CHEMILUMINESCENCE, monitoring of lipoxygenase reaction, 667
CHENODEOXYCHOLIC ACID, fecal, diarrhea, cholera, 612
rat hepatocytes, content, effect of isolation method, 149
CHICK, neonatal, 3-hydroxy-3-methylglutaryl-CoA reductase diurnal rhythm, 434
CHICKEN, egg, selective deposition of *trans*-8- and *cis*-9-octadecenoates, 524
hepatic lipogenic and cholesterogenic enzymes, barley kernel fractions, 956
incorporation of fatty acid isomers into tissue lipids, 524
Chilopsis linearis. See seed oils
Chlorella, strains, sterol composition, taxonomic implications, 215
CHLOROPLASTS, *Phaseolus vulgaris*, sterol composition, 204
CHLORPROMAZINE, color reaction, 538
effect on liver lipids in mice, 538
effect on mouse body temperature, 538
rat arterial lipogenesis, 672
CHOLANOIC ACID, bisnor-, in human meconium, 241
trihydroxy, content rat hepatocytes, effect of method of isolation, 149
CHOLERA, diarrhea, fecal steroids, 612
CHOLESTANE, effect on oospore production, *Phytophthora cactorum*, 178
CHOLESTANOL, effect on oospore production, *Phytophthora cactorum*, 178
CHOLESTEROGENIC ENZYMES, chicken liver, barley kernel fractions, 956
CHOLESTEROL, analysis, interference, GLC and colorimetric assay, 46
and interconversion of HDL subfractions, 338
bile, labeling, 500
biosynthesis, from lanosterol, microsomal enzymes, 250
biosynthesis, insect, *Tenebrio molitor*, 184
biosynthesis, rat liver homogenates, phosphorus effect, 682
biosynthesis, yellow fever mosquito, 220

content in *Chlorella* strains, 215
content in chloroplasts, *Phaseolus vulgaris*, 204
content in rat hepatocytes, effect of dietary ethanol, 124
deuterated, synthesis, NMR, GC-MS metabolism, 982
dietary, monkey, hypolipidemic effect, gossypol, 285
dietary, rabbit, platelet thromboxane synthesis, 577
distribution, oysters, 811
effect on oospore production, *Phytophthora cactorum*, 178
effect on phospholipid synthesis in yeast, 361
esterified, autoxidation, solid state, aqueous dispersion, 703
excretion, biosynthesis, macrophages, lipoprotein stimulation, 709
fecal, diarrhea, cholera, 612
formation from squalene in rat liver, 507
free, esterified, host tissues, hepatoma effect, 771
identification by GLC, in *Tanacetum vulgare*, 102
metabolism, gerbils, gnotobiotic, dietary fat, 791
metabolism, insect, yeast, protozoans, mammals, 257
metabolism, macrophages, 709
metabolites, urine, following intracerebral injection, 263
mouse testis, spermatids, spermatocytes, acetate incorporation, 605
osmotic stability, yeast sphaeroplasts, mitochondria, 662
oxidation, in vitro, mechanisms and products, 197
oxidation products, capillary GLC, MS, 703
plasma, effect of dietary gossypol, monkey, 285
plasma, Egyptian, 692
plasma lipoproteins, gerbils, gnotobiotic, dietary fat, 791
plasma lipoproteins, tissues, migrating lamprey, 741
plasma, rat, diet and sex hormones, combined effect, 172
platelet content, effect of oral contraceptives, 111
precipitation as digitonide, 443
rat plasma, effect of dietary sunflower oil and sucrose, 489
rat serum, effect of asafoetida, 483
rat serum, effect of garlic, 483
separation from epicholesterol, 464
synthesis in neonatal chick, 434
synthesis, liver, effect dietary, cholesterol, androst-5en-3β-ol, 257
synthesis, swine tissues, cereals, *Trichoderma viride*, 924
uptake, rat erythrocyte, in vitro, 748
CHOLESTEROL EPOXIDES, formation by cholesterol oxidation, 197
CHOLESTEROL GLUCURONIDE, in human liver, 515
CHOLESTEROL-7α-HYDROXYLASE, chicken liver, barley kernel fractions, 956
swine tissues, cereals, *Trichoderma viride*, 924
CHOLESTEROL OXIDES, characterization, TLC, GLC, HPLC, 197
CHOLESTERYL ESTERS, autoxidation, solid state, aqueous dispersion, 703
biosynthesis, macrophages, lipoprotein stimulation, 709
chicken egg, incorporation of fatty acid isomers, 524
determination by capillary GC, 464
hydrolases, rat testis, temperature sensitivity, 970
hydrolysis, adrenals, EFA-deficiency, 634
hydrolysis, macrophages, 709
rat plasma, and diet, 489
CHOLESTERYL ETHER, use as liposome marker, 448
CHOLESTYRAMINE, effect on dihydrolanosterol oxidation, rat liver, 250
effect on sterol metabolism in rat liver, 507
CHOLIC ACID, content in rat hepatocytes, effect of method of isolation, 149
fecal, diarrhea, cholera, 612
CHOLINE, phospholipids, synthesis, 453
CHOLINE GLYCEROPHOSPHATIDE, rat lung, fatty acid profile, synthesis, 884
CHONDRILLASTEROL, content, *Chlorella* strains, 215
effect on oospore production, *Phytophthora cactorum*, 178
CHROMATOGRAPHY, CHROMA-ROD, argentation, fatty acid isomers, 469
rat heart lipids, 372
CHROMATOGRAPHY, COLUMN, cholesterol glucuronide in human liver, 515
galactosylceramide, 998
isolation of asialo-G_{M1}, 107
isolation of bile acids, 149
isolation of cholesterol metabolism in urine, 263
isolation of methylene cholesterolacetate derivatives, 184
isolation of plant sterols, 215
isolation of steroid reaction products, 226
lipids, marine dinoflagellate, 853
liposomes, 448
methyl esters of carboxylic acids, human meconium, 241
methyl linoleate, oxidation products, 11
oxidative degradation products of long-chain phenols, 561
3-oxo triterpenes, isolation, 166
purification of gangliosides, 107
purification of jojoba wax, 169
separation of monogalactosylceramide- from lactosylceramide-sulfate, 160
CHROMATOGRAPHY, COLUMN, ARGENTATION, isolation of steroid reaction products, 226
methyl esters, products partial reduction of archidonic acid, 314
sterol acetates, separation by double-bond number, position, 215
CHROMATOGRAPHY, DEAE-cellulose, soybean lipoxygenases, 964
CHROMATOGRAPHY, GAS, exhaled pentane assay, 686
CHROMATOGRAPHY, GAS LIQUID, aldehydes and aldehyde esters from ozonolysis of octadecenoic isomers, 551
1-*O*-alkylisopropylidene derivatives, 72
analysis of fatty alcohol acetates, 72
analysis of intact triacylglycerols, 278
analysis of plant sterols, 204
analysis of sterols and triterpenes of *Tanacetum vulgare*, 102
analysis of triterpene acetates, 60

autoxidation products of soybean phosphatidylcholine liposomes, 403
bile acid derivatives, 149
bile acids, 345, 477
characterization of steroid aromatization products, 226
Chlorella sterols, 215
cholesterol analysis, 46
components of cholesterol glucuronide, 515
5,15-dihydroxy-eicosatetraenoic acid, 676
fatty acid methyl ester from liver phospholipids, 317
fatty acid methyl ester, 129, 155
fatty acids from cell cultures, 427
fatty acids from lipids, bovine sebum, 19
fatty acid isomers, 524
fatty acids of cocoa bean cell culture extracts, 367
fatty acids of soybean phosphatidylcholine, 403
fatty acids of yeast phospholipids, 361
hydrocarbons of gizzard shad and sardine, 390
linolenic acid oxidation products, 780
lung, liver microsomes, fatty acid composition, 269
methyl esters, 124
MS, fatty acids, *T. nudiflora, M. philippinensis*, 650
MS,7α-hydroxycholesterol assay, 644
MS, prostaglandin methyl ester-TMS, 825
MS, sterols, marine dinoflagellate, 853
MS, sterols, marine phytoplankton, 818
nonmethylene interrupted dienoic acids, 976
oxidation products, methyl linoleate, 11
oxidation degradation products of long-chain phenols, 561
oxidized methyl linoleate, ferrous-ion catalyzed, 84
phytosterols, 184
preparative, isolation of 20:3ω9 from arachidonic acid reduction, 314
radio, fatty acids, mouse testis, 605
rat heart lipids, 372
sterols, 443
sterols from cell cultures, 427
thin-layer, catfish liver, fatty acids, 733
volatile hydrocarbons, photosynthetic membranes, 35
yeast sterol metabolites, 187
CHROMATOGRAPHY, GAS LIQUID, CAPILLARY, analysis of *all-rac*-α tocopheryl acetate, 97
analysis of positional and geometric isomers of monoenoic acids, 50
bisnorcholanoic and cholenoic acids, 241
cholesterol epoxides, resolution, 197
cholesterol oxidation products, 703
cholesteryl esters, cholesterol and epicholesteryl silyl ethers, 464
cyclic fatty acid esters, 414
fatty acid *Adansonia* seed oil, 1
fatty acid isomers, 469
fatty acid methyl esters, 72
olefinic acids, *cis*-5, conifer seed lipids, 716
sponge fatty acids, 617
triglycerides, ascitic fluid, 759
wax esters, steryl esters, triglycerides, 831
CHROMATOGRAPHY, GEL FILTRATION, human gallbladder bile, 500
CHROMATOGRAPHY, HIGH PERFORMANCE LIQUID, analysis, positional and geometric isomers of monoenoic acids, 50
analysis, α-tocopherol, 269
cholesterol and cholesterol oxides, 197
5,15-dihydroxy-eicosatetraenoic acid, 676
estimation of dolichyl phosphate, 558
fatty acid *cis* and *trans* isomers, 469
hydroxy fatty esters, 403
linolenic acid oxidation products, 780
methyl esters, 241
oogoniols of water mold, 383
oxidation products, methyl linoleate, 11
rat testis cholesteryl ester hydrolases, 970
reversed-phase, triglycerides of human plasma lipoprotein, 460
sponge phospholipids fatty acids, 617
tissue lipid, flame ionization detector, 992
CHROMATOGRAPHY, THIN-LAYER, *bis* (acylglycero) phosphoric acids, 798
bile acid derivatives from human meconium, 241
bile acids, 149, 345, 477
cholesterol glucuronide in human liver, 515
cholesterol oxidation products, 703
choline phospholipids and synthetic intermediates, 453
cocoa bean cell culture lipids, 367
fatty acid methoxy mercuri-adducts, 469
galactosylceramide, 998
isolation of phospholipids, 155
isolation of phospholipids, rat hepatocytes, 124
isolation of plant sterols, 204
isolation of rat platelet, neutral, phospholipids, 307
isolation of sterols, 102
isolation of triterpenes, 60, 102
isolation, quantitation, choline, ethanolamine phosphoglycerides, 27
linolenic acid oxidation products, 780
lipids, bovine sebum, 19
lipids of rat skin fibroblasts, 519
lung phosphatidylcholine isolation, 42
mouse liver and fat pad lipids, 169
neutral glycolipids, 107
neutral lipid of the rat lymph, 356
oxidative degradation products of long-chain phenols, 561
oxidized methyl linoleate, ferrous-ion catalyzed, 84
3-oxo triterpenes, isolation, 166
phosphatidylcholine, 403
phospholipid from rat intestine, 356
phospholipids, 297, 427
plasma lipoprotein, tissue lipids, lamprey, 741
prostaglandin E_2 isolation, 119
rat heart phospholipids, 372
separation, isolation, human liver phospholipids, 317
separation of cholesterol, cholesterol oxides, 197
sponge phospholipids, 617
sterol metabolites, rat urine, 263
sterols, 427
sterols, marine dinoflagellate, 853
triglycerides, *T. nudiflora, M. philippinensis*, 650
CHROMATOGRAPHY, THIN-LAYER, ARGENTATION, catfish liver, fatty acids, 733
human tissue lipids, 551
intermediates, tetrahymanol biosynthesis, 230
nonmethylene interrupted dienoic acids, 976
olefinic acids, *cis*-5, conifer seed lipids, 716
phosphatidylcholine molecular species, 42

sterols, marine phytoplankton, 818
Chromobacterium sp. See bacteria
CITRATE, effect on Cu^{2+}-catalyzed peroxidation, 331
CITRATE CLEAVAGE ENZYME, chicken liver, barley kernel fractions, 956
rat tissues, mammary tumor, 944
swine tissues, cereals, *Trichoderma viride*, 924
CLAM, hardshell, fatty acid profile, lipids, nonmethylene interrupted acids, 976
Claria batrachus. See catfish
See fish, freshwater
CLIONASTEROL, content, *Chlorella* strains, 215
CLOSTRIDIUM, metabolsim of lithocholic acid and lithocholic acid sulfate, 477
Clupanodon punctatus. See gizzard shad
COCOA BEANS, incorporation of acetate and laurate into lipids in cultured cells, 367
tissue cultures, fatty acid incorporation, 848
COCONUT OIL, hydrogenated, dietary, effect on growth of rats, 307
CONIFERS, seed lipids, triglycerides, olefinic acids, 716
CONTRACEPTIVES, oral, effect on lipid biosynthesis, platelets, 111
CONTRACEPTIVE STEROIDS, effect on plasma cholesterol, body weight, rat, 172
COPEPOD, calanoid, triglycerides, capillary GC-MS, 831
COPPER(II), catalysis of lipid peroxidation, 331
COPROSTANOL, fecal, diarrhea, cholera, 612
COPROSTANONE, fecal, diarrhea, cholera, 612
CORTEX, cerebral, synthesis, choline, ethanolamine phosphoglycerides, effect of aging, 291
COTTONSEED OIL, relation to mammary tumors in mice, 115
COW, stereospecific analysis of milk triglycerides, 437
Cryptomeria japonica. See conifer
Curcurbita palmata. See seed oils
CUTSCUM. See detergents
Cycas revoluta. See conifer
CYCLOARTENONE, presence in vegetable fats, 166
CYCLOOXYGENASE, arachidonic acid metabolism, rat platelets, 845
platelet, hypercholesterolemic rabbit, control of, 577
rabbit platelet microsomes, assay, 577
CYCLOPROPANE FATTY ACIDS, *Adansonia* seed oils, 1
derivatives, GLC capillary, quantitation, 1
CYCLOPROPENE FATTY ACIDS, *Adansonia* seed oils, 1
dietary effect on composition of mammary TG, 115
relation to mammary tumors in mice, 115
CYNOMOLGUS MONKEY, gossypol, hypolipidemic effects, 285
Cyprinus carpio. See fish, freshwater
CYTOCHROME, spectra, yeast, 187
CYTOCHROME b_5, and terminal desaturase enzyme in rat mammary gland and liver, 397
CYTOCHROME c REDUCTASE, rat liver, and membrane phospholipids, 935
CYTOCHOME P450, monooxygenase, frog liver microsomes, hydroxylation of lauric acid, 864

D

2-DECANOYLAMINO-3-MORPHOLINOPROPIOPHENONE, effect on liver lipids of mice, 538
effect on mouse body temperatures, 538
DECARBOXYLATION, fatty acids, Schmidt reaction, NaN_3, 733
7-DEHYDROCHOLESTEROL, distribution, oysters, 811
interference, colorimetric cholesterol assay, 46
metabolism in rat liver, 507
precipitation as digitonide, 443
22-DEHYDROCHOLESTEROL, *cis-* and *trans-*, effect on *Drosophila* maturation, 209
cis- and *trans-*, synthesis, isolation, characterization, 209
distribution, oysters, 811
DEHYDROGENASE, glutamate, activity, effect of prostaglandin, acyl chains, 297
DEHYDROLANOLSTEROL, contaminant, commercial lanosterol, 46
7-DEHYDROPORIFERASTEROL, *Chlorella* strains, 215
DEOXYCHOLIC ACID, rat hepatocytes, content, effect of isolation method, 149
DERMATOPHYTES, phosphatidate phosphatase, distribution, properties, 859
DESATURASE, Δ6-, Δ9-, activity, liver microsomes, effect of dietary *trans* fatty acids, 27
Δ6, fatty acyl, rat heart, liver, hydrogenated fats, 585
Δ6-, Δ5-, rat liver, testes, effect of zinc and testosterone deficiency, 129
DESATURATION, fatty acids, cocoa bean tissue culture, 848
fatty acids, mouse testis, spermatids, spermatocytes, fatty acid synthesis, 605
unsaturated fatty acids, catfish liver, 733
DESIALYLATION, brain gangliosides, isolation of asialo-G_{M1}, 107
DESMOSTEROL, biosynthesis, yellow fever mosquito, 220
effect on oospore production, *Phytophthora cactorum*, 178
interference, colorimetric cholesterol assay, 46
precipitation as digitonide, 443
DETERGENTS, 7α-hydroxycholesterol synthesis, rat liver microsomes, 644
DIABETES, effect on rat plasma membrane triglyceride lipase, 573
DIACYLGLYCEROLS, analysis of enantiomers, 278
bis (DIACYLGLYCERO) PHOSPHORIC ACID, hydrolysis, phospholipase A_2, 798
synthesis, TLC, MS, NMR, 798
DIARRHEA, cholera, fecal steroids, 612
DI (2-ETHYLHEXYL) PHTHALATE, peroxisome proliferation, 598
DIETHYL MALEATE, antioxidant effect with peroxidizing linoleate, 393
DIETHYLSTILBESTROL, effect on glutamate dehydrogenase activity, 297
DIGITONIDES, lanosterol, 443
of sterols, precipitation, 443
DIGITONIN, precipitation of lanosterol, 443
DIGLYCERIDES, rat liver and Morris 7777 hepatoma cells, FFA uptake, 529
synthesis in cocoa bean cell cultures, 367
5,6-DIHYDROERGOSTEROL, effect on *Drosophila* maturation, 209

DIHYDROLANOSTEROL, content in platelets, effect of oral contraceptives, 111
oxidation, rat liver, effect of isosafrole, cholestyramine, 250
DIHYDROPEROXIDES, oxidized linolenic acid, characterization, 780
5,15-DIHYDROXY-EICOSATETRAENOIC ACID. See eicosatetraenoic acid, 5,15-dihydroxy, 676
DIMETHYL SULFOXIDE, squalene, triglyceride synthesis, rat liver, 900
DIMYRISTOYL PHOSPHATIDYLCHOLINE, complexes with human lipoprotein and apolipoprotein, 338
DINOFLAGELLATE, marine, major sterols, 853
bis (1,2-DIPALMITOYL-*sn*-GLYCERO-3) PHOSPHORIC ACID, synthesis, TLC, MS, NMR, 798
DIURNAL RHYTHM, in HMG-CoA reductase in neonatal chick, 434
DOG, stereospecific analysis of milk triglycerides, 437
DOLICHYL PHOSPHATE, estimation in rat liver by HPLC, 558
Drosophila, eggs, effect of sterols on maturation, 209
larvae, effect of sterols on maturation, 209
response to *cis*- and *trans*- dehydrocholesterol, 209

E

ECHIDNA, stereospecific analysis of milk triglycerides, 437
EGGS, chicken, selective deposition of *trans*-8- and *cis*-9-octadecenoates, 524
Drosophila, effect of sterols on maturation, 209
EHRLICH ASCITES CARCINOMA, mice, effect on fatty acid oxidation, 65
EICOSATETRAENOIC ACID, dietary, rat liver, plasma lipids, fatty acid profile, 763
5,15-dihydroxy, from arachidonic acid, leucocytes, 676
5,15-dihydroxy, HPLC, GC-MS, UV, 676
EICOSATRIENOIC ACID, *cis,cis,cis*-5,8,11-, preparation from arachidonic acid, 314
ELECTRON MICROSCOPY, scanning, rat erythrocytes, 594
ELECTROFOCUSING, gel, soybean lipoxygenases, 964
ELECTRON TRANSFER FLAVOPROTEIN, rat liver mitochondria, peroxisomes riboflavin deficiency, 598
ELECTROPHORESIS, gel, soybean lipoxygenases, 964
human plasma lipoprotein, 338
polyacrylamide, covalently bonded peroxidized linoleate, protein amino acids, 878
rat plasma lipoprotein fractions, 489
ELONGATION, fatty acid, mouse testis, spermatids, spermatocytes, fatty acids synthesis, 605
unsaturated fatty acids, catfish liver, 733
EMULGEN 911. See detergents
ENDOPEROXIDES, metabolites, platelets, effect dietary *trans,trans* linoleate, 307
Enterobacter sp. See bacteria
ENOYL-CoA HYDRATASE, rat liver mitochondria, peroxisomes riboflavin deficiency, 598
EPICHOLESTEROL, separation from cholesterol, 464
EPICOPROSTANOL, fecal, diarrhea, cholera, 612
Epidermophyton floccosum. See dermatophytes
EPIDIDYMAL FAT, mouse, in vivo incorporation of jojoba wax metabolites, 169
mouse, linoleic acid depletion, effect of strain, 136
EPIDIOXIDES, oxidized linolenic acid, characterization, 780
EPITHELIAL TISSUE, bovine tongue, lipid profile, 950
EPOXY ACIDS, oxidized linolenic acid, characterization, 780
24,28-EPOXYMETHYLENECHOLESTEROL, metabolism, insect, *Tenebria molitor*, 184
ERGOSTANOL, effect on oospore production, *Phytophthora cactorum*, 178
ERGOSTENOL, content, *Chlorella* strains, 215
ERGOSTEROL, content, *Chlorella* strains, 215
effect on phospholipid synthesis in yeast, 361
metabolites, accumulation, yeast mutants, 187
osmotic stability, yeast spaeroplasts, mitochondria, 662
ERGOT ALKALOIDS, Fe-catalyzed liposome peroxidation, 724
Erphedra sinica. See conifer
Erwinia sp. See bacteria
ERYTHROCYTES, rat, morphology, fatty acid profile, 594
rat, peroxidation of membrane lipid, 331
rat, plasmalogen assay, mercuric chloride, 656
Escherichia coli, metabolism of lithocholic acid and lithocholic acid sulfate, 477
ESSENTIAL FATTY ACIDS, deficiency, adrenal cholesteryl ester hydrolase, 634
deficiency, 12-hydroxyeicosatetraenoic acid, rat platelets, 845
deficiency, in rats, effect on urine content of immunoreactive arginine vasopressin, 321
ESTERIFICATION, cholesterol, macrophages, 709
ESTOLIDE TRIGLYCERIDES, *T. nudiflora, M. philippinensis*, TLC, GLC-MS, IR, 650
ESTRADIOL, effect on plasma cholesterol, body weight, rat, 172
ethinyl, effect on lipid biosynthesis, platelets, 111
ETHANOL, dietary, effect on hepatocyte composition, 124
effect on fatty acid transport, 356
ETHANOLAMINE GLYCEROPHOSPHATIDE, rat tissues, fatty acid profile, prostaglandin synthesis, 905
24-ETHYLCHOLESTA-5,22-DIENE-3β-OL, distribution, oysters, 811
24-ETHYLCHOLESTA-5-EN-3β-OL, distribution, oysters, 811
ETHYLENEDIAMINETETRAACETIC ACID (EDTA), effect on Cu^{2+}-catalyzed peroxidation, 331
ETHYLMETHANE SULFONATE, mutagenesis in yeast, 187

F

Faba vulgaris, root nodule, sterol composition, 204
FARNESOL, accumulation, *Tetrahymena*, cholesterol supplemented media, 230
FARNESYL PYROPHOSPHATE, preparation, isola-

tion, rat liver system, 230
FASTING, effect on rat plasma membrane triglyceride lipase, 573
FAT, dietary, effect on tissue fatty acids in the monkey, 469
dietary, rat tissue fatty acids, prostaglandin synthesis, 905
FAT PADS, mouse, linoleic acid depletion, effect of strain, 136
FATTY ACID HYDROPEROXIDE, synthesis, spectrophotometric assay, 667
FATTY ACID PROFILE, *Adansonia*, seed oil, 1
Bacillus megaterium, spores, isoleucine growth temperature, 914
blue-green algae, 35
catfish liver, 733
glycosylceramides, human kidney, 160
host tissue lipids, hepatoma effect, 771
lipids, hardshell clam, 976
liver, plasma lipids, rat, dietary eicosatetraenoic acid, 763
L-929 fibroblasts, 427
lung, liver microsomes, effect of vitamin E, NO_2, 269
mammalian milk triglycerides, 437
mouse depot fats, depletion of linoleic acid, 136
PE, PC, plasmalogen, polymorphonuclear neutrophils, 72
phosphatidylcholine, rat heart, liver, hydrogenated fats, 585
phospholipids, sponge, 617
plasma lipoproteins, tissue lipids, migrating lamprey, 741
rat erythrocyte, reticulocyte, phenylhydrazine treatment, 594
rat heart sphingomyelin, 372
rat lung glycerophosphatides, 884
rat tissue lipids, prostaglandin synthesis, 905
seed oils, by NMR, 544
serum, liver lipids, iron-deficient rats, progeny, 639
soybean sphingolipids, 803
triglycerides, ascitic fluid, lymphatic MCT, 759
triglycerides, mouse mammary tissue, effect of dietary fat, 115
yeast mutant phospholipids, 316
FATTY ACIDS, biosynthesis, rat adipocyte, from glucose, pyruvate, acetate, 626
biosynthesis, spermatids, spermatocytes, mouse testis, 605
branched-chain, *B. megaterium*, spores, germination, isoleucine, 914
branched-chain, sponge, 617
catfish liver, argentation TLC, GLC, decarboxylation, 733
conjugated, seed oils, 544
desaturation, cocoa bean tissue culture, 848
determination of double-bond position, 551
dienoic, nonmethylene interrupted, hardshell clam, 976
dienoic, nonmethylene interrupted, TLC, GLC, ozonolysis, 976
effect on glutamate dehydrogenase activity, 297
essential, deficiency, adrenal cholesteryl ester hydrolase, 634
essential, deficiency, 12-hydroxyeicosatetraenoic acid, rat platelets, 845
free, level serum, effect of antilipolytic drugs, 78
free, uptake and metabolism by rat hepatoma cells and rat liver, 529
geometric and positional isomer separation, 469
geometric isomers, NMR spectra, 544
hydroperoxide, synthesis, agarose-bound lipoxygenase, 667
hydroxy, estolides, *T. nudiflora, M. philippinensis*, 650
hydroxy, sphingolipids, soybeans, 803
hydroxylation, frog liver microsomes, 864
incorporation, cocoa bean tissue culture, 848
isomers, positional geometric, analysis, monoenoic acids, 50
lymphocyte capping, mouse, man, 727
methoxy mercuri-adducts, separation, 469
nonesterified, assay, microtitration, 696
nonesterified, synthesis, rat artery, chlorpromazine effect, 672
octadecenoic isomers, human tissue, 551
of rat heart phospholipids, 372
olefinic, *cis*-5, seed lipids, triglycerides, conifers, 716
olefinic, *cis*-5, TLC, GLC, MS, NMR, IR, UV, 716
oxidation, kinetic compartmental model, 65
oxidation, mice, effect of cancer on, 65
oxidation, peroxisomal, rat heart, liver, hydrogenated fats, 585
oxidation, rat liver mitochondria, peroxisomes riboflavin deficiency, 598
β-oxidation, liver, catfish, 733
peroxidation, prostaglandin synthesis, cell proliferation, 893
phosphatidylcholine, effect on sterol metabolism in L-929 fibroblasts, 427
polyunsaturated, inhibition of prostaglandin synthesis, 893
polyunsaturated, pentane exhaled, vitamin E, 686
saturated, dietary, effect on rat heart necrosis, 372
saturated, long-chain, not activated by acyl-CoA, 504
serum, mammary tumor-bearing rats, 944
specificity, purified human milk lipoprotein lipase, 278
sponge, HPLC, GLC, MS, NMR, IR, permanganate oxidation, 617
structure determination by NMR, 544
synthesis in cocoa bean cell cultures, 367
trans, dietary, effect on fatty acids of liver microsomes, 27
trans, dietary, effect on liver desaturase, 27
trans, rat heart, liver, hydrogenated fats, 585
transport from rat intestine, 356
turnover, kinetic compartmental model, 65
unsaturated, effect on phospholipid synthesis in yeast mutant, 361
unsaturated, elongation, desaturation, catfish liver, 733
unsaturated, lymphocyte capping, mouse, man, 727
uptake and metabolism in rat liver and Morris 7777 hepatoma cells, 529
FATTY ACID SYNTHETASE, chicken liver, barley kernel fractions, 956
rat tissues, mammary tumor, 944
swine tissues, cereals, *Trichoderma viride*, 924
FATTY ACYL DESATURASE, Δ6, rat heart, liver, hydrogenated fats, 585

FATTY ALCOHOL, acetates, analysis, GLC, 72
FATTY ESTERS, cyclic, synthesis and characterization, 414
FECAL STEROLS, determination in humans, 345
FECES, steroid profile, diarrhea, cholera, 612
FECOSTEROL, accumulation, yeast mutants, 187
Ferula asafoetida. See asafoetida
FIBROBLASTS, rat skin, metabolism of acetate, 519
rat skin, uptake and oxidation of malonaldehyde, 519
sterol metabolism, 427
FISH, hydrocarbons, 390
freshwater, PGD_2, PGE_2, $PGF_{2\alpha}$, synthesis, 755
FLAME IONIZATION DETECTOR, HPLC, lipid fractionation, 992
FLUORESCENCE ANISOTROPY, *B. megaterium* spores, 914
FLUORESCENT PRODUCTS, covalently bonded peroxidized linoleate, protein amino acids, 878
FREE FATTY ACIDS. See fatty acids, free, or fatty acids, nonesterified
FUCOSTEROL, iso-, honey bee, transfer to larvae, 220
metabolism in water mold, 383
FUNGI, pathogenic, phosphatidate phosphatase, distribution, properties, 859

G

GALACTOSE, in galactosylceramide, assay, 998
GALACTOSYLCERAMIDE SULFATE, saponification, 998
mono-, content, fatty acid profile, human kidney, 160
GALACTOSYLSPHINGOSINE, column chromatography, TLC, IR, 998
GALLBLADDER, human, bile, ultracentrifugation, 500
GANGLIOSIDES, large-scale preparation of brain asialo-G_{M1}, 107
purification, DEAE-Sephadex chromatography, 107
Garcinia indica, unsaponifiable matter, occurrence of 3-oxo triterpenes, 166
GARLIC, effect on serum cholesterol in rats, 483
GERBIL, gnotobiotic, cholesterol metabolism, 791
gnotobiotic, organ weights, 791
Ginko biloba. See conifer
GIZZARD SHAD, alkenes, 390
GLUCAGON, serum, mammary tumor-bearing rats, 944
GLUCOSE, lipogenesis rat adipocytes, 626
oxidation rat adipocytes, 626
GLUCOSE-6-PHOSPHATASE, rat liver microsomes, inhibition, phosphatidylcholine, 935
GLUCOSE-6-PHOSPHATE DEHYDROGENASE, rat tissues, mammary tumor, 944
swine tissues, cereals, *Trichoderma viride*, 924
GLUCURONIDE, cholesterol, in human liver, 515
GLUTAMATE DEHYDROGENASE, activity, effect of prostaglandin, acyl chains, 297
GLUTHATHIONE, reduced, antioxidant effect with peroxidizing linoleate, 393
reduced, thromboxane and prostaglandin synthesis, rabbit platelets, 577
GLUTHATHIONE PEROXIDASE, thromboxane and prostaglandin synthesis, rabbit platelets, 577
GLYCERIDES, mouse testis, spermatids, spermatocytes, acetate incorporation, 605
GLYCEROL, biosynthesis, rat adipocyte, pyruvate, acetate, 626
incorporation into rat brain phosphoglycerides, effect of aging, 291
GLYCINE, peroxidized linoleate covalent bonding, 878
GLYCOLIPIDS, neutral, TLC, 107
GLYCOSIDES, steryl, effect on growth, reproduction *Phytophthora cactorum*, 178
GLYCOSYLCERAMIDE SULFATES, characterization, human kidney cortex, medulla, 160
GOSSYPOL, hypolipidemic effects, monkey, 285
GUINEA PIG, sterospecific analysis of milk triglycerides, 437
Gymnodium simplex. See marine dinoflagellate, 853

H

HEART, human, octadecenoic fatty acid isomers, 551
mouse, in vivo incorporation of jojoba wax metabolites, 169
rat, effect of dietary fatty acids on necrosis, 372
rat, lipid metabolism, hydrogenated vegetable, marine oils, 585
rat, lipids, fatty acids, hepatoma effect, 771
rat, phospholipids, 372
Heliothis zea, effect of various steroids on growth, molting, 257
HEPATIC CHOLESTEROL SYNTHESIS, effect dietary, cholesterol, androst-5en-3β-ol, 257
HEPATOCYTES, rat, bile acid content, effect of isolation method, 149
rat, cholesterol content, phospholipid composition, effect dietary ethanol, 124
rat, isolation, 149
HEPATOMA, cells, Morris 7777, uptake and metabolism of FFA, 529
effect on host tissue lipids, fatty acids, 771
Morris 7288c, membranes, modification, lipid transfer protein, 935
HEPTADECENE, in gizzard shad and sardine, 390
Heteropneustes fossilis. See catfish
See fish, freshwater
HEXADECYL CHOLESTERYL ETHER, use as liposome marker, 448
HISTIDINE, effect on Cu^{2+}-catalyzed peroxidation, 331
peroxidized linoleate covalent bonding, 878
HONEY BEE, dietary sterols, utilization, metabolism, 220
HORSE, sterospecific analysis of milk triglycerides, 437
HUMAN, bile acid synthesis determination, 345
fecal bacteria, metabolism of lithocholic acid and lithocholic acid-3α-sulfate, 477
gallbladder bile, gel filtration chromatography, 500
gallbladder bile, ultracentrifugation, 500
kidney, cortex, medulla, glycosylceramide sulfate, characterization, 160
lipoprotein lipase, milk, purified, substrate specificity, 278
liver, cholesterol glucuronide in, 515
liver microsomes, lipid composition, 317
low density lipoprotein, subfractions, 232

meconium, bile acid identification, 241
octadecenoic fatty acid isomers in tissue lipids, 551
plasma, centrifugation, 338
plasma lipoprotein triglycerides, separation, 460
premature infant, lingual lipase, 570
HYDRAZINE, reduction of arachidonic acid, identification, isolation products, 314
HYDROCARBONS, gizzard shad and sardine, 390
synthesis, rat artery, chlorpromazine effect, 672
volatile, production from photosynthetic membranes, 35
HYDROGENATED FATS, lipid metabolism, rat heart, liver, 585
HYDROGEN BONDS, membranes, anesthetics, 1001
HYDROGEN PEROXIDE, thromboxane and prostaglandin synthesis, rabbit platelets, 577
HYDROLASES, cholesteryl ester, rat testis, HPLC, 970
cholesteryl ester, rat testis, temperature sensitivity, 970
HYDROLYSIS, cholesteryl esters, macrophages, 709
triglycerides, isolated, perfused, rat lung, 696
HYDROPEROXIDES, diene fatty acids, conjugated, methyl linoleate oxidation, 870
fatty acid, synthesis, agarose-bound lipoxygenase, 667
fatty acid, synthesis, spectrophotometric assay, 667
formed from methylinoleate oxidation, 84
methyl ethyl ketone, pentane exhaled, vitamin E, 686
methyl linoleate, oxidation products, 11
oxidized linolenic acid, characterization, 780
HYDROPEROXY BICYCLIC MONOENES, oxidized linolenic acid, characterization, 780
HYDROPEROXY EPIDIOXIDES, oxidized linolenic acid, characterization, 780
9-HYDROPEROXY-10-*trans*, 12-*cis*-OCTADECADIENOIC ACID METHYL ESTER, 870
9-HYDROPEROXY-10-*trans*, 12-*trans*-OCTADECADIENOIC ACID METHYL ESTER, 870
13-HYDROPEROXY-9-*cis*, 11-*trans*-OCTADECADIENOIC ACID METHYL ESTER, 870
13-HYDROPEROXY-9-*trans*, 11-*trans*-OCTADECADIENOIC ACID METHYL ESTER, 870
3-HYDROXYACYL-CoA DEHYDROGENASE, rat liver mitochondria, peroxisomes, riboflavin deficiency, 598
HYDROXYCHOLESTEROLS, by autoxidation of cholesterol, 703
occurrence, urine, brain cholesterol metabolites, 263
7α-HYDROXYCHOLESTEROL, assay, GC-MS, selected ion monitoring, 644
synthesis, rat liver microsomes, detergents, 644
25-HYDROXYCHOLESTEROL, cholesteryl ester synthesis, accumulation, macrophages, 709
12-HYDROXYEICOSATETRAENOIC ACID, synthesis from arachidonic acid, rat platelets, 845
HYDROXY FATTY ACIDS, estolides, *T. nudiflora*, *M. philippinensis*, 650
profile, kidney, glycosylceramides, 160
[12,25-^{3}H]-29-HYDROXYFUCOSTEROL, metabolism in water mold, 383
HYDROXYLATION, ω, (ω-1), lauric acid, frog liver microsomes, 864
oxidation, cholesterol, solid, aqueous dispersion, 703
11-HYDROXY LAURIC ACID, formation, frog liver microsomes, 864
12-HYDROXY LAURIC ACID, formation, frog liver microsomes, 864
HYDROXYL RADICAL, thromboxane and prostaglandin synthesis, rabbit platelets, 577
3-HYDROXY-3-METHYLGLUTARYL CoA, swine tissues, cereals, *Trichoderma viride*, 924
3-HYDROXY-3-METHYLGLUTARYLCoA REDUCTASE, chicken liver, barley kernel fractions, 956
neonatal chick, diurnal rhythm, 434
rat liver, 682
rat liver, effect of age and cholestyramine feeding, 507
4-HYDROXY-*trans*-8-SPHINGENINE, soybean ceramides, 803
HYODEOXYCHOLIC ACID, content rat hepatacytes, effect of method of isolation, 149
HYPERCHOLESTEROLEMIA, rabbit, platelet thromboxane synthesis, 577
rat, diet and sex hormones, combined effect, 172
rat, effect of garlic and asafoetida, 483
HYPERLIPOPROTEINEMIAS, in Egyptian males, 692

I

ILLIPE, unsaponifiable matter, occurrence of 3-oxo triterpenes, 166
IMIDAZOLE, effect on Cu^{2+}-catalyzed peroxidation, 331
IMMUNE RESPONSE, man, mouse, lymphocyte capping, fatty acids, 727
Impatiens balsamina. See seed oils
INSECTS, metabolism of phytosterols, 184
metabolism of various steroids, 257
utilization of C_{28} and C_{29} phytosterols, 220
INSULIN, effect on rat plasma membrane triglyceride lipase, 573
rat, lipogenesis in rat adipocytes, 626
serum, mammary tumor-bearing rats, 944
INSULIN-LIKE AGENTS, lipogenesis in rat adipocytes, 626
INTESTINE, freshwater fish, PGD_2, PGE_2, $PGF_{2\alpha}$, synthesis, 755
large, gnotobiotic gerbil, weight, 791
neonatal chick, HMG-CoA reductase rhythm, 434
rat, fatty acid composition, effect of testosterone, zinc, 129
small, gnotobiotic gerbil, weight, 791
swine, lipogenic and cholesterogenic enzymes, 924
transport of oleate from, 356
IRON, peroxidation catalyst, liposomes, dihydroergotoxine, 724
IRON DEFICIENCY, rat, lipid, fatty acid profile, serum, liver, 639
Isochrysis galbana. See marine phytoplankton
ISOLEUCINE, branched-chain fatty acids, *B. megaterium*, spores, 914
ISOMERS, fatty acid, positional, geometric, monoenoic acids, analysis, 50
fatty acid, separation, 469
ISOPENTENOIDS, polycyclic, effect on growth and reproduction of *Phytophthora cactorum*, 178
21-ISOPENTYLCHOLESTEROL, metabolism, insect, yeast, protozoans, mammals, 257
ISOPROPYLIDENE, derivatives, 1-*O*-alkyl-, analysis GLC-MS, 72
ISOSAFROLE, effect on dihydrolanosterol oxidation,

rat liver, 250

J

Jacaranda mimosifolia. See seed oils
Juniperus chinensis. See conifer
JOJOBA WAX, absorption, mice, tissue distribution, 169

K

α-KAMLOLENIC ACID, estolides, *T. nudiflora, M. philippinensis*, 650
KETO ACIDS, oxidized linolenic acid, characterization, 780
3-KETOACYL-CoA THIOLASE, rat liver mitochondria, peroxisomes riboflavin deficiency, 598
KIDNEY, freshwater fish, PGD_2, PGE_2, $PGF_{2\alpha}$, synthesis, 755
human, cortex, medulla, glycosylceramide sulfate, characterization, 160
lipids, rat, fractionation, HPLC, flame ionization detector, 992
medulla, rabbit, prostaglandin biosynthesis, arachidonate pools, 119
medulla, rat, PGE_2, PGE_3, GC-MS, 825
mouse, in vivo incorporation of jojoba wax metabolites, 169
Klebsiella sp. See bacteria
KOALA, stereospecific analysis of milk triglycerides, 437
KOKUM, unsaponifiable matter, occurrence of 3-oxo triterpenes, 166
KYRO EOB. See detergents

L

LACTOSYLCERAMIDE SULFATE, content, fatty acid profile, human kidney, 160
LAMELLAR BODIES, rat lung, glycerophosphatides, fatty acid profiles, 884
LAMPREY, migrating, plasma lipoproteins, tissue lipids, fatty acids, 741
LANOSTEROL, accumulation, yeast mutants, 187
content in platelets, effect of oral contraceptives, 111
conversion to cholesterol, microsomal enzymes, 250
dihydro-, oxidation, rat liver, effect of isosafrole, cholestyramine, 250
interference, colorimetric cholesterol assay, 46
metabolism, rat liver, 507
precipitation by digitonin, 443
purity by MS, 46
Larix leptolepsis. See conifer
LARVAE, *Drosophila*, effect of sterols on maturation, 209
LATHOSTEROL, effect on *Drosophila* maturation, 209
effect on oospore production, *Phytophthora cactorum*, 178
LAURATE, incorporation into lipids in cocoa bean cell cultures, 367
LAURIC ACID, hydroxylation, frog liver microsomes, 864
LECITHIN, peroxidation, effect of tocopherols, 511
LEUCOCYTES, porcine, arachidonic acid metabolism, 5,5-dihydroxy-eicosatetraenoic acid, 676
LIGNOCERIC ACID, not activated by acyl-CoA, 504
LINOLEATE, autoxidation in phosphatidylcholine liposomes, 403
cholesteryl, hydrolysis, adrenals, EFA deficiency, 634
methyl, oxidation, identification of hydroperoxides formed, 84
methyl, oxidation, secondary and thermal decomposition, 11
peroxidizing effect of diethyl maleate and reduced glutathione, 393
9-*trans*,12-*trans*, dietary, effect on arachidonate metabolism, platelets, 307
LINOLEIC ACID, depletion from mouse fat cells, effect of strain, 136
desaturation, cocoa bean tissue culture, 848
desaturation, rat heart, liver, hydrogenated fats, 585
dietary, rat tissue fatty acids, prostaglandin synthesis, 905
elongation, desaturation, catfish liver, 733
hydroperoxide, synthesis, agarose-bound lipoxygenase, 667
incorporation cocoa bean tissue culture, 848
of phosphatidylcholine, effect on sterol metabolism in L-929 fibroblasts, 427
β-oxidation, liver, catfish, 733
peroxidized, covalent bonding, protein, amino acids, 878
uptake and metabolism in rat liver and Morris 7777 hepatoma cells, 529
LINOLEIC ACID METHYL ESTER, oxidation in solution, 870
LINOLENIC ACID, dietary, effect on rat heart necrosis, 372
dietary, rat tissue fatty acids, prostaglandin synthesis, 905
elongation, desaturation, catfish liver, 733
β-oxidation, liver, catfish, 733
oxidation products, HPLC, TLC, GLC, UV, IR, NMR, MS, 780
LIPASE, lingual, of premature infants, stereospecificity, 570
lipoprotein, isolated perfused rat lung, 696
lipoprotein, milk, human, purified, substrate specificity, 278
milk lipoprotein, human, purified, substrate specificity, 278
triglyceride, rat plasma membrane, 573
LIPID PEROXIDES, prostaglandin synthesis, cell proliferation, 893
LIPID PROFILE, bovine tongue epithelial tissue, 950
host tissue lipids, hepatoma effect, 771
plasma lipoproteins, tissues, migrating lamprey, 741
serum, liver, iron-deficient rats, progeny, 639
LIPIDS, plasma, Egyptian males, 692
rat kidney, fractionation, HPLC, flame ionization detector, 992
rat liver, fatty acid profile, dietary eicosatetraenoic acid, 763
rat liver, fractionation, HPLC, flame ionization detector, 992
rat plasma, fatty acid profile, dietary eicosatetraenoic acid, 763

rat serum, fractionation, HPLC, flame ionization detector, 992
transport from rat intestine, 356
LIPOFUSCIN, peroxidized linoleate-protein model, 878
LIPOGENESIS, rat adipocyte, from glucose, pyruvate, acetate, 626
rat artery, chlorpromazine effect, 672
LIPOGENIC ENZYMES, chicken liver, barley kernel fractions, 956
rat tissues, mammary tumor, 944
swine tissues, cereals, *Trichoderma viride*, 924
LIPOLYSIS, triglycerides, isolated, perfused, rat lung, 696
LIPOPROTEIN, bile, labeling, 500
high density, cholesterol, effect of gossypol, monkey, 285
high density, effect of dietary sunflower oil and sucrose, 489
high density, human, interconversion of subfractions, 338
high density, transport in the rat, 356
human plasma, triglyceride separation, 460
low density, cholesterol, effect of gossypol, monkey, 285
low density, human, subfractions, 323
plasma, cholesterol, gerbils, gnotobiotic, dietary fat, 791
plasma, Egyptian males, profiles, 692
plasma, migrating lamprey, lipid, fatty acid profile, 741
rat serum, cholesterol, effect of asafoetida and garlic, 483
serum low density, acetylated, cholesterol esterification, excretion, macrophages, 709
very low density, cholesterol, effect of gossypol, monkey, 285
LIPOPROTEIN LIPASE, human milk, purification, 278
isolated perfused rat lung, 696
milk, human, purified, substrate specificity, 278
rat tissues, mammary tumor, 944
LIPOSOMES, Fe-catalyzed peroxidation dihydroergotoxine, 724
lecithin, peroxidation, 511
lipid peroxidation in, 331
phosphatidylcholine, autoxidation, 403
use of hexadecyl cholesteryl ether as marker, 448
LIPOXYGENASE, arachidonic acid metabolism, rat platelets, 845
soybean, agarose-bound, activity spectrophotometric assay, 667
soybean, agarose-bound, fatty acid hydroperoxide formation, 667
soybean, Ca-stimulated, purification, characterization, 964
soybean, methyl mercuric chloride inhibition, 964
soybean, monitoring of chemiluminescence, 667
synthesis of 5,15-dihydroxy-eicosatetraenoic acid, 676
LITHOCHOLIC ACID, metabolism by human fecal bacteria, 477
rat hepatocytes, content, effect of isolation method, 149
LITHOCHOLIC ACID-3α-SULFATE, metabolism by human fecal bacteria, 477
LIVER, bovine, glutamate dehydrogenase, prostaglandin, acyl chains, effect of activity, 297
bovine, isolation, characterization, nonspecific lipid transfer protein, 935
catfish, fatty acid elongation, desaturation, 733
chicken, lipogenic and cholesterogenic enzymes, barley kernel fractions, 956
freshwater fish, PGD_2, PGE_2, $PGF_{2\alpha}$, synthesis, 755
human, cholesterol glucuronide in, 515
human, octadecenoic fatty acid isomers, 551
migrating lamprey, lipid, fatty acid profiles, 741
mouse, effect of 2-decanoylamino-3-morpholinopropiophenone and chlorpromazine on lipids, 538
mouse, in vivo incorporation of jojoba wax metabolites, 169
neonatal chick, HMG-CoA reductase rhythm, 434
β-oxidation, unsaturated fatty acids, catfish, 733
rat, cholesterol synthesis, effect of dietary cholesterol, androst-5en-3β-ol, 257
rat, desaturation, Δ5-, Δ6-, effect of zinc and testosterone deficiency, 129
rat, desaturase activity, effect of dietary *trans* fatty acids, 27
rat, estimation of dolichyl phosphate, 558
rat, hepatocytes, composition, effect of dietary ethanol, 124
rat, iron-deficient, lipid, fatty acid profiles, 639
rat, lipid metabolism, hydrogenated vegetable, marine oils, 585
rat, lipid peroxidation, influence of vitamin E, NO_2, 269
rat, lipids, fatty acid profile, dietary eicosatetraenoic acid, 763
rat, lipids, fatty acids, hepatoma effect, 771
rat, lipoprotein fractions and diet, 489
rat, mammary tumor, lipogenic enzymes, lipoprotein lipase, 944
rat, membranes, modification, lipid transfer protein, 935
rat, metabolism of long-chain saturated fatty acids, 504
rat, microsomal enzymes, lanosterol to cholesterol, conversion, 250
frog, microsomal hydroxylation, lauric acid, 864
rat, microsomes, 7α-hydroxycholesterol synthesis, detergents, 644
rat, microsomes, preparation, assay desaturase activity, 27
rat, mitochondria, metabolism of malonaldehyde, 349
rat, mitochondria, phospholipid fatty acids, effect of growth, 155
rat, phosphate on cholesterogenesis, 682
rat, plasma membrane lipase, 573
rat, prostaglandin synthesis, dietary fat, 905
rat, squalene, triglyceride synthesis, DMSO, 900
rat, sterol carrier proteins, 507
rat, sterol metabolism, 507
rat, stearoyl-coenzyme A desaturase activity in, 397
rat, uptake and metabolism of FFA, 529
swine, lipogenic, cholesterogenic enzymes, 924
LIVER LIPIDS, mammary tumor-bearing rats, 944
rat, fractionation, HPLC, flame ionization detector, 992

LIVER MICROSOMES, human, lipid composition, 317
rat, fatty acid composition, effect of testosterone, zinc, 129
rat, phospholipid fatty acids, effect of growth, 155
LOPHENOL, effect of oospore production, *Phytophthora cactorum*, 178
LUNGS, mouse, in vivo incorporation of jojoba wax metabolites, 169
rat, isolated, perfused, triglyceride hydrolysis, 696
rat, lipid peroxidation, influence of vitamin E, NO_2, 269
rat, lipids, fatty acids, hepatoma effect, 771
rat, microsomes, lamellar bodies, alveolar wash, phosphatide fatty acids, 884
rat, surfactant, synthesis, palmitate, acetate, 884
rat, synthesis, phosphatidylcholine, effect of fasting, 42
swine, lipogenic and cholesterogenic enzymes, 924
LUPENONE, presence in vegetable fats, 166
LUPEOL, content, sow thistle, GLC-MS analysis, 60
LYMPH, rat, transport of oleate, 356
LYMPHOCYTE CAPPING, mouse, man, fatty acids, 727
LYNESTRENOL, effect on lipid biosynthesis, platelets, 111
LYSINE, peroxidized linoleate covalent bonding, 878

M

Macaca fascicularis, gossypol hypolipidemic effects, 258
MACROPHAGE, human, mouse, cholesterol metabolism, 709
monocyte-derived, 709
Madhuca butyracea, unsaponifiable matter, occurrence of 3-oxo triterpenes, 166
MALIC ENZYME, chicken liver, barley kernel fractions, 956
swine tissues, cereals, *Trichoderma viride*, 924
Mallotus philippinensis, seed oil, triglycerides, estolides, 650
MALONALDEHYDE, metabolism in the rat, 349
uptake and oxidation by rat skin fibroblasts, 519
MAMMAL, milk, stereospecific analysis of triglycerides, 437
MAMMARY GLAND, rat, stearoyl-coenzyme A desaturase activity in, 397
MAMMARY TUMORS, mice, spontaneous, effect of dietary cottonseed oil, 115
MAN, lymphocyte capping, fatty acids, 727
Mangifera indica, unsaponifiable matter, occurrence of 3-oxo triterpenes, 166
MANGO KERNEL, unsaponifiable matter, occurrence of 3-oxo triterpenes, 166
MANNITOL, thromboxane and prostaglandin synthesis, rabbit platelets, 577
MARINE DINOFLAGELLATE, major sterols, 853
MARINE OILS, hydrogenated, lipid metabolism, rat heart, liver, 585
MARINE PARTICULATE MATTER, wax esters, cholesteryl esters, capillary GC-MS, 831
MARINE PHYTOPLANKTON, sterol profile, biosynthesis, 818
MECONIUM, human, bile acids identification, 241
MEDIUM-CHAIN TRIGLYCERIDES, lymphatic, fatty acid profiles, ascitic fluid, 759
MEMBRANE FLUIDITY, *Bacillus megaterium*, isoleucine, 914
yeast, wild type and mutant, 187
MEMBRANES, hydrogen belts, structure, fluidity, anesthetics, 1001
lipid peroxidation in, 331
photosynthetic, production of volatile hydrocarbons, 35
rat liver mitochondria, microsomes, modification, lipid transfer protein, 935
Mercenaria mercenaria. See clam, hardshell
MERCURIC CHLORIDE, binding to plasmalogens, assay, 656
MESTRANOL, effect on plasma cholesterol, body weight, rat, 172
2-METHYLCARDOL, identification, 561
24-METHYLCHOLESTEROL, content chloroplasts, *Phaseolus vulgaris*, 204
METHYLENE BLUE, sensitized photooxidation, 11
24-METHYLENE CHOLESTEROL, distribution, oysters, 811
honey bee, transfer to larvae, 220
metabolism, insect, *Tenebrio molitor*, 184
METHYL ETHYL KETONE HYDROPEROXIDE, pentane exhaled, vitamin E, 686
METHYL MERCURIC CHLORIDE, inhibition of soybean lipoxygenase, 964
MEVALONATE, cholesterogenesis, rat liver homogenates, phosphorus effect, 682
incorporation, rat arterial lipids, chlorpromazine, 672
squalene synthesis, rat liver, DMSO, 900
MICELLES, mixed, preparation and labeling, 500
MICROSOMES, dermatophytes, phosphatidate phosphatase, 859
freshwater fish tissues, PGD_2, PGE_2, $PGF_{2\alpha}$, synthesis, 755
frog liver, hydroxylation, lauric acid, 864
membranes, rat liver hepatoma, modification, lipid transfer protein, 935
preparation from rat mammary gland and liver, 397
rabbit platelet, thromboxane, prostaglandin synthesis, 577
rat liver, desaturase activity, effect of dietary *trans* fatty acids, 27
rat liver, estimation of dolichyl phosphate, 558
rat liver, 7α-hydroxycholesterol synthesis, detergents, 644
rat liver, phospholipid fatty acids, effect of growth, 155
rat liver, preparation, assay desaturase activity, 27
rat lung, glycerophosphatides, fatty acid profile, 884
Microsparum gypseum. See dermatophytes
MILK, lipoprotein lipase, human, purified, substrate specificity, 278
mammalian, stereospecific analysis of triglycerides, 437
rat, source of triglyceride oleic acid, 397
MITOCHONDRIA, dermatophytes, phosphatidate phosphatase, 859
membranes, differential scanning calorimetry, 187
membranes, rat liver, hepatoma modification, lipid

transfer protein, 935
rat, metabolism of malonaldehyde, 349
rat heart, liver, fatty acid profile, hydrogenated fats, 585
rat liver, metabolism of malonaldehyde, 349
rat liver, β-oxidation, riboflavin deficiency, 598
rat liver, phospholipid fatty acids, effect of growth, 155
yeast, sterols and osmotic stability, 662
MOLECULAR WEIGHTS, human low density lipoprotein subfractions, 323
MONKEYS, cynomolgus, gossypol, hypolipidemic effects, 285
tissue fatty acids, effect of dietary hydrogenated fat, 469
bis (MONOACYLGLYCERO) PHOSPHORIC ACID, synthesis, TLC, MS, NMR, 798
Monochrysis lutheri. See marine phytoplankton
bis (MONO-1-PALMITOYL-GLYCERO) PHOSPHORIC ACID, synthesis, TLC, MS, NMR, 798
Mordacia mordax. See lamprey
MOSQUITO, yellow fever, dietary sterols, utilization, metabolism, 220
MOUSE, linoleic acid metabolism, fat cells, effect of strain, 136
liver lipids, effect of 2-decanoylamino-3-morpholinopropiophenone and chlorpromazine, 538
mammary tumors, spontaneous, effect of dietary cottonseed oil, 115
ob/ob, lymphocyte capping, fatty acids, 727
β-MURICHOLIC ACID, content rat hepatocytes, effect of method of isolation, 149
MUSCLE, migrating lamprey, lipid, fatty acid profiles, 741
mouse, in vivo incorporation of jojoba wax metabolites, 169
soleus, rat, mammary tumor, lipoprotein lipase, 944
swine, lipogenic and cholesterogenic enzymes, 924
MUSCLE CELL, cultured, cell proliferation, inhibition, fatty acids, peroxides, prostaglandins, 893
MUTAGENESIS, yeast, ethylmethane sulfonate, 187
MYELIN, bovine, plasmalogen assay, mercuric chloride, 656
rat, cholesterol turnover, metabolism, 263

N

NEURON MEMBRANE, hydrogen bonding, anesthetics, 1001
NEUTRAL LIPIDS, bovine tongue epithelial tissue, 950
host tissues, hepatoma effect, 771
liver, plasma, rat, dietary eicosatetraenoic acid, 763
rat tissues, fractionation, HPLC, flame ionization detector, 992
NICOTINAMIDE, homocysteine-thiolactone, derivatives, antilipolytic effect, in vivo and in vitro, 78
NITROGEN DIOXIDE, influence on lipid peroxidation, lung, liver microsomes, 269
NONADECENE, in gizzard shad and sardine, 390
22-*trans*-24-NORCHOLESTA-5,22-DIENE-3β-OL, distribution, oysters, 811
NORETHYNODREL, effect on plasma cholesterol, body weight, rat, 172
27-NOR-(24*R*)-METHYLCHOLESTA-5,22-DIEN-3β-OL, marine dinoflagellate, TLC, GC, MS, NMR, 853

O

OBESITY, genetic, ob/ob mouse, lymphocyte capping, fatty acids, 727
rat, lipogenesis in adipocytes, 626
cis-9-OCTADECENOATE, selective deposition in chicken egg, 524
cis-9-OCTADECENOATE-10-^{14}C, synthesis, 524
trans-8-OCTADECENOATE, selective deposition in chicken egg, 524
trans-8-OCTADECENOATE-8(9)-^{3}H, preparation, 524
OCTADECENOIC ACID, isomers, tissue lipids, hepatoma effect, 771
OLEATE, cholesteryl, hydrolysis, adrenals, EFA-deficiency, 634
transport from rat intestine, 356
OLEIC ACID, desaturation, cocoa bean tissue culture, 848
incorporation cocoa bean tissue culture, 848
isomers, tissue lipids, hepatoma effect, 771
OOGONIOLS, separation by HPLC, 383
water mold, synthesis, 383
OOSPORE PRODUCTION, *Phytophthora cactorum*, effect of sterols, polycyclic isopentenoids, 178
OPTICAL ROTATION, characterization of steroid aromatization products, 226
triglycerides, 570
OSMOTIC STABILITY, yeast sphaeroplasts, mitochondria, sterols, 662
OXIDATION, cholesterol, in vitro, mechanisms and products, 197
cholesterol, solid, aqueous dispersion, 703
fatty acids, kinetic compartmental model, 65
fatty acids, mice, effect of cancer on, 65
fatty acids, peroxisomal, rat heart, liver, hydrogenated fats, 585
methyl linoleate, ferrous-ion catalyzed, hydroperoxides produced, 84
methyl linoleate, oxygen pressure, concentration, solvent, 870
periodate, permanganate, sponge fatty acids, 617
photosensitized, ethyl linoleate, 11
photosensitized, linolenic acid, products, HPLC, TLC, GLC, UV, IR, NMR, MS, 780
β-OXIDATION, rat liver mitochondria, peroxisomes riboflavin deficiency, 598
unsaturated fatty acids, liver, catfish, 733
OXIDATION PRODUCTS, long-chain phenols of cashew nut-shell liquid, 561
[23,25-^{3}H]-29-OXOFUCOSTEROL, metabolism in water mold, 383
OXYGEN, singlet, and Cu^{2+}-catalysis of lipid peroxidation, 331
singlet, thromboxane and prostaglandin synthesis, rabbit platelets, 577
3-OXO TRITERPENES, occurrence in vegetable oils, MS, 166
OYSTER, organs, sterol distribution, 811
OZONE, oxidation of cholesterol, product identification, 197
OZONOLYSIS, fatty acid isomers from human tissue,

551
of cholesterol, 197
reductive, nonmethylene interrupted dienoic acids, 976

P

PALMITATE, cholesteryl, hydrolysis, adrenals, EFA-deficiency, 634
incorporation, rat lung lipids, surfactant, 884
PALMITIC ACID, incorporation cocoa bean tissue culture, 848
of phosphatidylcholine, effect on sterol metabolism in L-929 fibroblasts, 427
uptake and metabolism in rat liver and Morris 7777 hepatoma cells, 529
PAPILLAE, circumvallate, bovine tongue, lipid profile, 950
fungiform, bovine tongue, lipid profile, 950
PENTANE, exhaled, GC assay, 686
exhaled, methyl ethyl ketone peroxide, vitamin E, 686
PEROXIDATION, Fe-catalyzed, liposomes, dihydroergotoxine, 724
in liposomes and erythrocyte membranes, 331
in vivo, pentane exhaled, vitamin E, 686
lecithin liposomes, effect of tocopherols, 511
linoleate, and ethyl maleate and reduced glutathione, 393
linoleate, covalent bonding, protein, amino acids, 878
lipid, liver, lung, effect of iron, ascorbate, 269
lipid, liver, lung, influence of vitamin E, nitrogen dioxide, 269
lipid, photosynthetic membranes, blue-green algae, 35
PEROXIDES, fatty acids, prostaglandin synthesis, cell proliferation, 893
PEROXISOMES, fatty acid oxidation, rat heart, liver, hydrogenated fats, 585
rat liver, β-oxidation, riboflavin deficiency, 598
rat liver, proliferation, di(2-ethylhexyl)phthalate, 598
Petrosia ficiformis. See sponge
PGE, synthesis, fatty acid inhibition, cell proliferation, 893
PGE_1, rat tissues, synthesis, assay, 905
PGE_2, rat tissues, synthesis, assay, 905
$PGE_{2\alpha}$, rat tissues, synthesis, assay, 905
PGI_2, synthesis, fatty acid inhibition, cell proliferation, 893
Phaseolus vulgaris, chloroplasts, sterol composition, 204
PHENOLS, long-chain, synthesis of oxidative degradation products, 561
PHENYLALANINE, peroxidized linoleate covalent bonding, 878
PHENYLHYDRAZINE, reticulocytosis in the rat, 594
PHOSPHATASE, phosphatidic acid, dermatophytes, distribution properties, 859
PHOSPHATIDATE PHOSPHATASE, dermatophytes, distribution properties, 859
PHOSPHATIDIC ACID, fatty acid, partial synthesis, 91
hydrolysis, brain, phospholipase A_2, 91
PHOSPHATIDYLCHOLINE, bile, labeling, 500
chicken egg, incorporation of fatty acid isomers, 524
composition, rat hepatocytes, effect of dietary ethanol, 124
content, fatty acid profile, human liver microsomes, 317
effect on glutamate hydrogenase activity, 297
effect on sterol synthesis and excretion in L-929 fibroblasts, 427
fatty acid profile rat liver mitochondria, microsomes, 155
hydrolysis, brain phospholipase A_2, 91
liposomes, autoxidation, 843
liposomes, preparation, 403
lung, synthesis, effect of fasting, 42
nonspecific transfer protein, membrane structure, function, 935
polymorphonuclear neutrophils, ether content, fatty acid composition, 72
rat heart, liver, fatty acid profile, hydrogenated fats, 585
rat liver and hepatoma cells, FFA uptake, 529
rat lung, molecular species, isolation, 42
soybean, isolation and characterization, 403
synthesis intermediates, 453
transfer from rat liver microsomes to phosphatidylcholine vesicles, 448
PHOSPHATIDYLETHANOLAMINE, chicken egg, incorporation of fatty acid isomers, 524
composition, rat hepatocytes, effect of dietary ethanol, 124
content, fatty acid profile, human liver microsomes, 317
fatty acid, partial synthesis, 91
fatty acid profile, rat liver mitochondria, microsomes, 155
hydrolysis, brain phospholipase A_2, 91
nonspecific transfer protein, membrane structure, function, 935
polymorphonuclear neutrophils, ether content, fatty acid composition, 72
rat liver and hepatoma cells, FFA uptake, 529
synthesis in yeast mutant, 361
PHOSPHATIDYLGLYCEROL, rat lung, fatty acid profile, synthesis, 884
PHOSPHATIDYLINOSITOL, composition, rat hepatocytes, effect of dietary ethanol, 124
content, fatty acid profile, human liver microsomes, 317
content, polymorphonuclear neutrophils, 72
fatty acid, partial synthesis, 91
hydrolysis, brain, phospholipase A_2, 91
nonspecific transfer protein, membrane structure, function, 935
PHOSPHATIDYLSERINE, composition, rat hepatocytes, effect of dietary ethanol, 124
content, fatty acid profile, human liver microsomes, 317
content, polymorphonuclear neutrophils, 72
fatty acid, partial synthesis, 91
hydrolysis, brain phospholipase A_2, 91
6-PHOSPHOGLUCONATE DEHYDROGENASE, swine tissues, cereals, *Trichoderma viride*, 924
PHOSPHOLIPASE A_2, bovine brain, purification, specificity, 91

pig pancreas, hydrolysis of *bis* (diacylglycero) phosphate, 798
PHOSPHOLIPIDS, *Bacillus megaterium*, spores, germination, isoleucine, 914
bilayers, marker for, and assay, 448
choline, synthesis, 453
composition liver, effect of growth, 155
fatty acid profile, rat liver mitochondria, microsomes, 155
host tissues, hepatoma effect, 771
human tissue, octadecenoic isomers, 551
liver, plasma, rat, dietary eicosatetraenoic acid, 763
mouse testis, spermatids, spermatocytes, acetate incorporation, 605
nonspecific transfer protein, membrane structure, function, 935
platelet, fatty acid profile, effect of dietary *trans, trans*, linoleate, 307
platelet content, effect of oral contraceptives, 111
rat heart, 372
rat liver and Morris 7777 hepatoma cells, FFA uptake, 529
rat lung content, effect of fasting, 42
rat tissues, fractionation, HPLC, flame ionization detector, 992
sponge, fatty acid profile, 617
sterol uptake, rat erythrocyte, in vitro, 748
synthesis in cocoa bean cell cultures, 367
synthesis in yeast, 361
synthesis, rat artery, chlorpromazine effect, 672
transport in the rat, 356
PHOSPHOLIPID PROFILE, rat heart, liver, hydrogenated fats, 585
PHOSPHORUS, cholesterogenesis, rat liver homogenates, 682
PHOTOSYNTHETIC MEMBRANES, isolation from blue-green algae, 35
production of volatile hydrocarbons, 35
PHULWARA, unsaponifiable matter, occurrence of 3-oxo triterpenes, 166
Phytophthora cactorum, growth and reproduction, effect of triterpenoids, 178
sterol metabolism, culture conditions, 187
PHYTOPLANKTON, marine, sterol profile, biosynthesis, 818
PHYTOSTEROLS, metabolism, insect, *Tenebrio molitor*, 184
utilization by insects, 220
PIG, stereospecific analysis of milk triglycerides, 437
Pinaceae jezvensis. See conifer
Pinus densiflora. See conifer
Pinus koraeensis. See conifer
Pinus pentaphylla. See conifer
Pinus thunbergii. See conifer
PLANT STEROLS, quantitative analysis by GLC, 204
uptake, rat erythrocyte, in vitro, 748
PLASMA, Egyptian males, lipids and lipoproteins, 692
human, lipoprotein triglyceride separation, 460
human, octadecenoic fatty acid isomers, 551
migrating lamprey, lipid, fatty acid profiles, 741
rat, high density lipoprotein and diet, 489
rat, lipid, fatty acid profile, dietary eicosatetraenoic acid, 763
triacylglycerol, effect of dietary gossypol, monkey, 285
PLASMA CHOLESTEROL, effect of dietary gossypol, monkey, 285
rat, diet and sex hormones, combined effect, 172
PLASMA LIPIDS, rat, fatty acid composition, effect of testosterone, zinc, 129
PLASMA LIPOPROTEINS, cholesterol, gnotobiotic gerbil, dietary fat, 791
migrating lamprey, lipid, fatty acid profile, 741
PLASMALOGEN, bovine myelin, rat erythrocyte, assay, mercuric chloride, 656
content, polymorphonuclear neutrophils, 72
PLASMA MEMBRANE, rat, triglyceride lipase, 573
PLATELETS, lipid composition, rat, effect of oral contraceptives, 111
phospholipids, fatty acid profile, effect of dietary *trans,trans* linoleate, 307
rabbit, hypercholesterolemia, thromboxane synthesis, 577
rat, arachidonate metabolism, effect dietary *trans, trans* linoleate, 307
rat, arachidonic acid metabolism, cyclooxygenase, lipoxygenase, 845
rat, lipid biosynthesis platelets, effect of oral contraceptive, 111
Platymonas suecica. See marine phytoplankton
Podocarpus nagi. See conifer
POLAR LIPIDS, bovine tongue epithelial tissue, 950
hardshell clam, fatty acid profile, 976
POLYMORPHONUCLEAR NEUTROPHILS, rabbit, phospholipid, ether content, fatty acid composition, 72
PORIFERASTEROL, content, *Chlorella* strains, 215
deuterated, synthesis, NMR, GC-MS metabolism, 982
PORTAL BLOOD, rat, transport of oleate, 356
PREGNANEDIONE, deuterated, synthesis, NMR, GC-MS metabolism, 982
PROGESTERONE, cholesteryl ester synthesis, macrophages, 709
deuterated, synthesis, NMR, GC-MS metabolism, 982
PROGESTERONE METABOLITES, deuterated, synthesis, NMR, GC-MS metabolism, 988
PROSTAGLANDIN B_2, GC-MS, SIM, methyl ester-TMS, 825
PROSTAGLANDIN B_3, GC-MS, SIM, methyl ester-TMS, 825
PROSTAGLANDIN E_2, content, urine, EFA-deficient rats, 321
GC-MS, SIM, methyl ester-TMS of PGB_2, 825
PROSTAGLANDIN E_3, GC-MS, SIM, methyl ester-TMS of PGB_3, 825
PROSTAGLANDIN $F_{2\alpha}$, synthesis from arachidonic acid, rat platelets, 845
PROSTAGLANDIN H_2, synthesis, platelets, hypercholesterolemic rabbits, 577
PROSTAGLANDINS, analysis, radioimmunoassay, 307
biosynthesis, kidney, arachidonate pools, 119
biosynthesis, kidney, calcium stimulated, 119
diene, synthesis, freshwater fish tissues, 755
effect of glutamate dehydrogenase activity, 297
PGB_2, PGB_3, PGE_2, PGE_3, methyl ester-TMS, GC-MS, 825
synthesis, cell culture, assay, 893

synthesis, fatty acid inhibition, cell proliferation, 893
synthesis, rat tissues, dietary fat, 905
PROTEIN, nonspecific lipid transfer, membrane structure, function, 935
peroxidized linoleate covalent bonding, 878
sterol carrier, rat liver, 507
Proteus sp. See bacteria
PROTOZOAN, metabolism of various steroids, 257
Pseudoisochrysis paradoxa. See marine phytoplankton
PSEUDO-TARAXASTEROL, content, sow thistle, GLC-MS analysis, 60
Punica granatum. See seed oils
PYRROLIDIDES, unsaturated fatty acids, MS, 716
PYRUVATE, lipogenesis rat adipocytes, 626
oxidation rat adipocytes, 626

R

RABBIT, aortic atherosclerotic lesion, cholesteryl esters of, 464
kidney medulla, prostaglandin biosynthesis, arachidonate pools, 119
polymorphonuclear neutrophil, phospholipid, ether content, fatty acid composition, 72
RADIOIMMUNOASSAY, analysis of prostaglandins, 307
RAPESEED OIL, low erucic, effect on rat heart necrosis, 372
RAT, adipose tissue, FFA release, effect of antilipolytic drugs, 78
brain, formation of digitonide precipitates, 443
brain, metabolism of long-chain saturated fatty acids, 504
brain, squalene, 443
brain, synthesis, choline, ethanolamine, phosphoglycerides, effect of aging, 291
brain sterol, determination, GLC, colorimetric comparison, 46
EFA-deficient, effect on urine content of immunoreactive arginine vasopressin, 321
erythrocyte membrane lipid, peroxidation, 331
heart, effect of dietary fatty acids on necrosis, 372
heart, phospholipids, 372
hepatocytes, bile acid content, effect of isolation method, 149
hepatocytes, cholesterol content, phospholipid composition, effect of dietary ethanol, 124
intestine, fatty acid composition, effect of testosterone, zinc, 129
intestine, transport of oleate, 356
liver, cholesterol synthesis, effect of dietary cholesterol, androst-5en-3β-ol, 257
liver, desaturase activity, effect of dietary *trans* fatty acids, 27
liver, estimation of dolichyl phosphate, 558
liver, lipid peroxidation, influence of vitamin E, NO_2, 269
liver, lipoprotein fractions and diet, 489
liver, metabolism of long-chain saturated fatty acids, 504
liver, microsomal enzymes, lanosterol to cholesterol, conversion, 250
liver, microsomes, preparation, assay desaturase activity, 27
liver, mitochondria, phospholipid fatty acids, effect of growth, 155
liver, preparation of microsomes, 397
liver, sterol carrier proteins, 507
liver, sterol metabolism, 507
liver, uptake and metabolism of FFA, 529
lung, lipid peroxidation, influence of vitamin E, NO_2, 269
lung, synthesis of phosphatidylcholine, effect of fasting, 42
mammary gland, preparation of microsomes, 397
metabolism of malonaldehyde, 349
milk triglycerides, source of oleic acid, 397
myelin, cholesterol turnover, metabolism, 263
plasma, high density lipoprotein and diet, 489
plasma, triglycerides, cholesterol, and cholesterol esters, and diet, 489
plasma membrane, rat, triglyceride lipase, 573
platelets, arachidonate metabolism, effect dietary *trans,trans* linoleate, 307
platelets, lipid biosynthesis platelets, effect of oral contraceptive, 111
serum, level TG and FFA, effect antilipolytic compounds, 78
serum cholesterol, effect of asafoetida, 483
serum cholesterol, effect of garlic, 483
skin fibroblasts, metabolism of acetate, 519
skin fibroblasts, uptake and oxidation of malonaldehyde, 519
stearoyl-coenzyme A activity of mammary gland and liver, 397
testes, fatty acid composition, effect of testosterone, zinc, 129
urine, cholesterol metabolites, 263
urine, immunoreactive arginine-vasopressin, content, EFA deficiency, 321
RED BLOOD CELLS, human, octadecenoic fatty acid isomers, 551
RENEX 30. See detergents
RETICULOCYTES, rat, phenylhydrazine treatment, morphology, fatty acid profile, 594
RIBOFLAVIN, deficiency, rat, β-oxidation in liver mitochondria peroxisomes, 598
ROOT NODULES, sterol composition, 204

S

Saccharomyces cerevisiae. See yeast
Saccharomyces cerevisiae strain GL7. See yeast mutant
SAFFLOWER OIL, dietary, effect on growth of rats, 307
SAPOGENINS, steroidal, effect on growth, reproduction *Phytophthora cactorum*, 178
SAPONIFICATION, galactosylceramide sulphate, 998
SARDINE, alkenes, 390
Sardinops melanosticta. See sardine
SATURATED FATTY ACIDS, metabolism in rat brain and liver, 504
SCHMIDT REACTION, fatty acid decarboxylation, 733
Sciadopitys verticillata. See conifer
SEAL, stereospecific analysis of milk triglycerides, 437
SEBUM, cattle, composition effect of breed, tempera-

ture, 19
SECOSTEROL, formation by cholesterol oxidation, 197
SEED LIPIDS, conifers, triglycerides, olefinic acids, 716
SEED OILS, NMR spectra of conjugated fatty acids, 544
species *Adansonia*, fatty acid composition, 1
T. nudiflora, M. philippinensis, estolide triglycerides, 650
SENILE CEREBROVASCULAR INSUFFICIENCY, dihydroergotoxine, antioxidant, 724
Serrattia sp. See bacteria
SERUM, lipoproteins, LDL, acetylated, cholesterol esterification, excretion, macrophages, 709
rat, cholesterol, effect of asafoetida, 483
rat, cholesterol, effect of garlic, 483
rat, iron-deficient, lipid, fatty acid profiles, 639
rat, level TG and FFA, effect antilipolytic compounds, 78
SERUM INSULIN, mammary tumor-bearing rats, 944
SERUM LIPIDS, mammary tumor-bearing rats, 944
rat, fractionation, HPLC, flame ionization detector, 992
SHEA, occurrence in vegetable oils, MS, 166
Shorea stenoptera, unsaponifiable matter, occurrence of 3-oxo triterpenes, 166
SITOSTANOL, effect of oospore production, *Phytophthora cactorum*, 178
SITOSTEROL, biosynthesis, yellow fever mosquito, 220
content in root, chloroplasts, 204
effect on oospore production, *Phytophthora cactorum*, 178
honey bee, transfer to larvae, 220
identification by GLC, in *Tanacetum vulgare*, 102
uptake, rat erythrocyte, in vitro, 748
SKIN, rat, fibroblasts, metabolism of acetate, 519
fibroblasts, uptake and oxidation of malonaldehyde, 519
Sonchus arvensis L., triterpene composition, 60
SOW THISTLE, triterpene composition, 60
SOYBEAN, phospholipid liposomes, peroxidation, 331
SOYBEAN LIPOXYGENASE, agarose-bound, activity, spectrophotometric assay, 667
agarose-bound, fatty acid hydroperoxide formation, 667
Ca-stimulated, purification, characterization, 964
monitoring of chemiluminescence, 667
SOYBEAN OIL, effect on rat heart necrosis, 372
SOYBEANS, maturity, sphingolipids, fatty acid profile, 803
SPECIFICITY, fatty acid, purified human milk lipoprotein lipase, 278
SPECTRA, INFRARED, characterization of steroid aromatization products, 226
cholesterol glucuronide in human liver, 515
cyclic fatty acid esters, 414
galactosylceramide, 998
linolenic acid oxidation products, 780
olefinic acids, *cis*-5, conifer seed lipids, 716
oxidation products, methyl linoleate, 11
oxidative degradation products of long chain phenols, 561
seed oil, *T. nudiflora, M. philippinensis*, 650
sponge phospholipids fatty acids, 617
SPECTRA, MASS, 1-*O*-alkyl isopropylidene derivatives, 72
bile acid, derivatives, 241
capillary gas-liquid, sponge fatty acids, 617
characterization of steroid aromatization products, 226
cholesterol oxidation products, 703
CI, EI, wax esters, steryl esters, triglycerides, 831
deuterated steroids, 982
5,15-dihydroxy-eicosatetraenoic acid, 676
eicosatrienoic acid, 314
estolide methyl esters, *T. nudiflora, M. philippinensis*, 650
hydrogenated derivatives from methyl linoleate oxidation, 84
linolenic acid oxidation products, 780
monotrimethylsilylated acetylated derivative of lactosylceramide-II^3-sulfate, 160
olefinic acids, *cis*-5, conifer seed lipids, 716
3-oxo triterpenes, 166
sterols, marine dinoflagellate, 853
thin-layer, *bis* (acylglycero) phosphoric acids, 798
triterpene acetates of *Tanacetum vulgare*, 102
SPECTRA, MASS-GC, sterols, marine phytoplankton, 818
SPECTRA, MASS-GLC, analysis, triterpene acetates, 60
bile acids, 477
cyclic fatty acid esters, 414
cyclopropanic acids, quantitation, seed oils, 1
hydrocarbons of gizzard shad and sardine, 390
7α-hydroxycholesterol assay, 644
oxidation products, methyl linoleate, 11
SIM, prostaglandin methyl ester-TMS, 825
SPECTRA, NUCLEAR MAGNETIC RESONANCE, anomaly for steroidal alcohols, 235
bis (acylglycero) phosphoric acids, 798
choline phospholipids and synthetic intermediates, 453
cyclic fatty acid esters, 414
deuterated steroids, 982
eicosatrienoic acid, 314
linolenic acid oxidation products, 780
olefinic acids, *cis*-5, conifer seed lipids, 716
oxidation products of methyl linoleate, 11
oxidative degradation products of long-chain phenols, 561
seed oils containing conjugated unsaturated acids, 544
sponge phospholipids fatty acids, 617
sterols, marine dinoflagellate, 853
triterpene acetates of *Tantacetum vulgare*, 102
SPECTRA, PROTON MAGNETIC RESONANCE, characterization of steroid aromatization products, 226
cyclopropanic fatty acids, 1
SPECTRA, ULTRAVIOLET, characterization of steroid aromatization products, 226
5,15-dihydroxy-eicosatetraenoic acid, 676
linolenic acid oxidation products, 780
olefinic acids, *cis*-5, conifer seed lipids, 716
SPERMATIDS, mouse testis, isolation, fatty acid

synthesis, 605
SPERMATOCYTES, mouse testis, isolation, fatty acid synthesis, 605
SPHAEROPLASTS, preparation from blue-green algae, 35
yeast, sterols and osmotic stability, 662
trans-4,*trans*-8-SPHINGADIENINE, soybean cerebrosides, 803
SPHINGOLIPIDS, soybeans, fatty acid profile, 803
SPHINGOMYELIN, content, fatty acid profile, human liver microsomes, 317
content, polymorphonuclear neutrophils, 72
rat heart, fatty acid profile, 372
SPHINGOSINE, galactosyl, column chromatography, TLC, IR, 998
SPINASTEROL, effect on *Drosophila* maturation, 209
effect on oospore production, *Phytophthora cactorum*, 178
SPLEEN, mouse, in vivo incorporation of jojoba wax metabolites, 169
rat, prostaglandin synthesis, dietary fat, 905
SPONGE, phospholipid, fatty acid profile, MS, 617
SPORES, *Bacillus megaterium*, fatty acid profile, temperature, isoleucine, 914
B. megaterium, germination, isoleucine, 914
SQUALENE, conversion to cholesterol in rat liver, 507
preparation, isolation, rat liver system, 230
rat brain, 443
synthesis, rat liver, DMSO, 900
SQUALENE SYNTHETASE, assay, 230
role in cholesterol inhibition, tetrahymanol biosynthesis, 230
STEARATE, cholesteryl, hydrolysis, adrenals, EFA deficiency, 634
STEARIC ACID, incorporation cocoa bean tissue culture, 848
STEAROYL-CoA DESATURASE, activity in rat mammary gland and liver, 397
STEREOISOMERS, triglycerides, hydrolysis, 570
STEREOSPECIFIC ANALYSIS, triglycerides of mammalian milk, 437
STEROIDAL ALCOHOLS, NMR anomaly, 235
synthesis, characterization, diacetates, ditosylates, monotosylates, 235
STEROID HORMONES, synthesis in water mold, 383
STEROIDS, aromatization, ring C, 226
contraceptive, effect on plasma cholesterol, body weight, rat, 172
deuterated, synthesis, NMR, GC-MS metabolism, 982
effect on growth and reproduction, *Phytophthora cactorum*, 178
fecal, diarrhea, cholera, 612
γ-ketoacid, reaction products characterization by NMR, 235
STEROL ACETATES, separation by double bonds, argentation column chromatography, 215
STEROL CARRIER PROTEINS, rat liver, 507
STEROL ESTER, bovine sebum, content and fatty acid profile, effect of temperature, 19
synthesis in cocoa bean cell cultures, 367
STEROL METABOLISM, in yeast, 187
STEROLS, anatomic distribution, oysters, 811
animal, plant, uptake, rat erythrocyte, in vitro, 748
composition, taxonomic implications, *Cholorella* strains, 215
effect of phosphatidylcholine on metabolism in L-929 fibroblasts, 427
effect on phospholipid synthesis in yeast mutant, 361
fecal acidic, human, 345
free, bovine sebum, effect of temperature, 19
identification by GLC, in *Tanacetum vulgare*, 102
marine dinoflagellate, TLC, GC, MS, NMR, 853
marine particulate matter, GC-MS, 831
marine phytoplankton, GC-MS, TLD, 813
metabolism in rat liver, 507
neutral, profile, feces, diarrhea, cholera, 612
osmotic behavior, yeast sphaeroplasts, mitochondria, 662
plant, quantitative analysis by GLC, 204
precipitation by digitonin, 443
profile, biosynthesis, marine phytoplankton, 818
rat brain, determination, GLC, colorimetric comparison, 46
symposium, 177
synthesis, rat artery, chlorpromazine effect, 672
utilization by insects, 220
STERYL ESTERS, marine particulate matter, capillary GC-MS, 831
synthesis, rat artery, chlorpromazine effect, 672
Streptococcus sp. See bacteria
STREPTOZOTOCIN DIABETES, effect on rat plasma membrane lipase, 573
STIGMASTEROL, content in root, chloroplasts, 204
effect on *Drosophila* maturation, 209
effect on oospore production, *Phytophthora cactorum*, 178
effect on phospholipid synthesis in yeast, 361
identification by GLC, in *Tanacetum vulgare*, 102
STOMACH, freshwater fish, PGD_2, PGE_2, $PGF_{2\alpha}$, synthesis, 755
STRIATUM, rat synthesis, choline, ethanolamine phosphoglycerides, effect of aging, 291
SUCROSE, and sunflower oil, effect on rat plasma lipoprotein fractions, 489
SULPHATIDE, saponification, product, 998
SUNFLOWER OIL, and sucrose, effect on rat plasma lipoprotein fractions, 489
SUPEROXIDE ANION RADICAL, thromboxane and prostaglandin synthesis, rabbit platelets, 577
SUPEROXIDE DISMUTASE, thromboxane and prostaglandin synthesis, rabbit platelets, 577
SURFACTANT, rat lung, synthesis, palmitate, acetate, 884
SYMPOSIUM, sterols, 177

T

Tanacetum vulgare, sterols and triterpenes, identification, 102
TANSY, sterols and triterpenes, identification, 102
TARAXASTEROL, content, sow thistle, GLC-MS analysis, 60
identification, GLC, NMR, MS, in *Tanacetum vulgare*, 102
TASTE CELLS, bovine tongue, lipid profile, 950
Taxodium districhum. See conifer

Taxus canadensis. See conifer
Taxus cuspidata. See conifer
Tenebrio molitor, metabolism of phytosterols, 184
TESTES, mouse, in vivo incorporation of jojoba wax metabolites, 169
mouse, spermatid and spermatocyte isolation, fatty acid synthesis, 605
rat, cholesteryl ester hydrolases, temperature sensitivity, 970
rat, desaturase, Δ5-, Δ6-, effect of zinc and testosterone deficiency, 129
rat, fatty acid composition, effect of testosterone, zinc, 129
TESTOSTERONE, rat, effect on fatty acid composition, desaturation, 129
TETRAHYMANOL, biosynthesis, inhibition by cholesterol, 230
Tetrahymena pyriformis, effect of various steroids on growth, 257
TETRAMETHYLMETHOXYPROPANE, hydrolysis, 349
Thalassiosira fluviatilis. See marine phytoplankton
Theobroma cacao L. See cocoa beans
THERMAL DECOMPOSITION, photosensitized methyl linoleate, 11
THIOBARBITURIC ACID TEST, peroxidation, liposomes, 724
THISTLE, sow, triterpene composition, 60
THROMBOXANE B_2, synthesis from arachidonic acid, rat platelets, 845
synthesis, platelets, control of, 577
synthesis, platelets, hypercholesterolemic rabbit, 577
THROMBOXANE SYNTHETASE, platelet, hypercholesterolemic rabbit, control of, 577
rabbit platelet microsomes, assay, 577
THYLAKOIDS, isolation from blue-green algae, 35
THYMUS, gnotobiotic gerbil, weight, 791
rat, prostaglandin synthesis, dietary fat, 905
Tilapia mossambica. See fish, freshwater
TISSUE CULTURE, cocoa bean, 367
cocoa bean, fatty acid incorporation, 848
mouse testis, spermatids, spermatocytes, fatty acid synthesis, 605
smooth muscle, prostaglandins, proliferation, 893
TISSUE LIPIDS, migrating lamprey, fatty acid profile, 741
TOCOL, antioxidant activity, 511
α-TOCOPHEROL, antioxidant activity, 511
effect on autoxidation of phosphatidylcholine liposomes, 403
effect on peroxidation, 331
influence on lipid peroxidation, lung, liver microsomes, 269
β-TOCOPHEROL, antioxidant activity, 511
γ-TOCOPHEROL, antioxidant activity, 511
δ-TOCOPHEROL, antioxidant activity, 511
α-TOCOPHERYL ACETATE, analysis, diasteriomer, composition, GLC capillary, 97
lithium aluminum hydride reduction, methylation, 97
quantitation, HPLC, 269
TONGUE, bovine, epithelial tissue, lipid profile, 950
Torreya nucifera. See conifer
TRANSFER PROTEIN, nonspecific lipid, membrane structure, function, 935
TREES, coniferous, seed lipids, triglycerides, olefinic acids, 716
Trewia nudiflora, seed oil, triglycerides, estolides, 650
TRIACYLGLYCEROL, bovine sebum, content and fatty acid profile, effect of temperature, 19
fatty acid composition, mouse depot fat, 136
hydrolysis, purified milk lipoprotein lipase, fatty acid specificity, 278
intact analysis by GLC, 278
level serum, effect of antilipolytic drugs, 78
mouse mammary tissue, effect of dietary fat, 115
plasma, effect of dietary gossypol, monkey, 285
TRICHODERMA VIRIDE CULTURE FILTRATE, lipogenic and cholesterogenic enzymes, swine tissues, 924
TRIGLYCERIDES, ascitic fluid, capillary GLC, 759
ascitic fluid, fatty acid profiles, lymphatic MCT, 759
butter, marine zooplankton, capillary GC-MS, 831
chicken egg, incorporation of fatty acid isomers, 524
fatty acids, mammalian milk, 437
hardshell clam, fatty acid profile, 976
human plasma lipoprotein, separation, 460
human tissue, octadecenoic isomers, 551
hydrolysis, isolated perfused rat lung, 696
lipase, rat plasma membrane, 573
medium-chain, lymphatic, fatty acid profiles, ascitic fluid, 759
optical rotation of stereoisomers, 570
plasma, Egyptian, 692
rat plasma, and diet, 489
serum, mammary tumor-bearing rats, 944
stereospecific analysis, mammalian milk, 437
stereospecific hydrolysis with human lingual lipase, 570
synthesis in cocoa bean cell cultures, 367
synthesis, rat artery, chlorpromazine effect, 672
synthesis, rat liver, DMSO, 900
TRIHYDROXYOCTADECENOATES, from autoxidation of phosphatidylcholine liposomes, 403
TRITERPENES, identification, GLC, NMR, MS, in *Tanacetum vulgare*, 102
3-oxo-, occurrence in vegetable oils, mass spectra, 166
pentacyclic, analysis, GLC-MS, 60
TRITERPENOID ALCOHOL, biosynthesis inhibition by cholesterol, 230
TRITERPENOIDS, effect on growth and reproduction, *Phytophthora cactorum*, 178
TRITON WR-1339. See detergents
TRITON X-100. See detergents
TUMOR, liver, effect on host tissue lipids, fatty acids, 711
liver, membranes, modification, lipid transfer protein, 935
mammary, mouse, spontaneous, effect of dietary cottonseed oil, 115
mammary, rat, lipogenic enzymes, serum, liver lipids, 944
mammary, rat, lipoprotein lipase, insulin, glucagon, catecholamines, 944
TURNOVER, fatty acid, kinetic compartmental model, 65
TWEEN 80. See detergents

U

ULTRACENTRIFUGATION, human gallbladder bile, 500
human low density lipoprotein subfractions, 323
human plasma HDL, 338
rat plasma lipoprotein, 489
plasma lipoproteins, lamprey, 741
UNSATURATED FATTY ACIDS, effect on phospholipid synthesis in yeast, 361
URINE, rat, cholesterol metabolites, 263
rat, immunoreactive arginine-vasopressin, content, EFA deficiency, 321
URSODEOXYCHOLIC ACID, rat hepatocytes, content, effect of isolation method, 149

V

VACCENIC ACID, isomers, tissue lipids, hepatoma effect, 771
VASOPRESSIN, arginine-, immunoreactive, urine, EFA-deficient rats, 321
VEGETABLE OILS, hydrogenated, lipid metabolism, rat heart, liver, 585
Vibrio cholerae, diarrhea, fecal steroids, 612
VITAMIN E, influence on lipid peroxidation, lung, liver microsomes, 269
pentane exhaled, methyl ethyl ketone peroxide, 686

W

WALLABY, stereospecific analysis of milk triglycerides, 437
WATER MOLD, synthesis of oogoniols, 383
WAX, jojoba, absorption, mice, tissue distribution, 169
WAX ESTER, bovine sebum, content and fatty acid profile, effect of temperature, 19
marine particulate matter, capillary GC-MS, 831

X

XANTHINE OXIDASE, thromboxane and prostaglandin synthesis, rabbit platelets, 577

Y

YEAST, effect of various steroids on growth, 257
metabolism of various steroids, 257
sphaeroplasts, mitochondria, osmotic stability, 662
sterol metabolism, culture conditions, 187
YEAST MUTANT, phospholipid synthesis, 361

Z

ZINC, deficiency rat, effect on fatty acid composition, desaturation, 129
ZOOPLANKTON, marine, triglycerides, capillary GC-MS, 831
ZYMOSTEROL, accumulation, yeast mutants, 187